


Cortellis Clinical Trials Intelligence ユーザーガイド

目次

1. Clinical Trials Intelligence 製品概要.....	3
2. Cortellis Platformのログイン方法.....	4
3. コンテンツ操作の解説.....	5
- 基本検索 Quick Search.....	6
- 上級検索 Advanced Searchとダウンロード機能.....	12
- 更新情報を通知するアラート機能.....	18
4. 臨床試験可視化分析ツール.....	24
5. 試験実施サイト検索ツール.....	33
6. ユーザーサポートのご案内.....	42
- 製品利用のSupportアイコン.....	43
- 日本語版ユーザーサポートサイトとお問い合わせ先（カスタマーサービス）	44

Cortellis Clinical Trials Intelligence

医薬品開発を成功に導くための包括的かつ粒度の高いグローバルな臨床試験情報プラットフォーム



721K+
世界の臨床
試験



2.9M+
学術文献



62K+
Rare
Disease試験



143K+
学会情報



101K+
臨床試験関連
プレスリリース

Cortellis Clinical Trials Intelligence 利用事例

※件数は2025年11月時点の概数

研究テーマ領域の決定に際し、先行品の臨床試験プロトコルと結果を調査しアンメットニーズを探索する

導入候補品の試験規模・プロトコルから導入後の開発の可能性を検証する

先行品の試験進捗を疾患領域ごとに把握し、上市タイミングを予測する

競合の試験を被験者層、エンドポイント、バイオマーカー等から検証し、自社試験デザイン策定の参考とする

競合試験の実施施設数、被験者登録数、地域、実施期間を検証し、自社試験の円滑な実施計画を策定する

Cortellis Clinical Trials Intelligence アクセス方法

<https://www.cortellis.com>

上記URLからアクセスください。

Accelerate life sciences innovation

Cortellis unlocks hidden insights in data and accelerates innovation through a suite of life science intelligence solutions spanning discovery and clinical development through regulatory submission and commercialization.

Current subscribers can log on to the right.

Not yet a subscriber?

[Learn more](#)

Cortellis™

Cortellis

[Login](#) [Register](#)

Email address *

Password *

[Forgot Password?](#) [Need help with login?](#)

[Sign in](#)

[Sign in with SSO](#)

データベースへのアクセス

Email address(ID)とPasswordを入力し、Sign inをクリックしてプラットフォームに接続します。

既に以下のクラリベイト製品にユーザ登録がある場合、ID/Passwordはすべて共通です。

- Cortellis Competitive Intelligence
- Cortellis Deals Intelligence
- Cortellis CMC Intelligence
- Cortellis Regulatory Intelligence
- Cortellis Digital Health Intelligence
- Cortellis Product Intelligence
- Cortellis Drug Discovery Intelligence
- OFF-X
- Web of Science
- Researcher ID
- Derwent Innovation
- InCites
- EndNote

※SSOアクセスをご利用のユーザー様については、**Sign in with SSO**をクリック後に貴社企業名を入力し、専用のGatewayを介してアクセスください。


※初めてユーザー登録する際には、ご所属先のデータベースご担当者様にご確認ください。

コンテンツ操作解説

基本検索 Quick Search

活用事例 – 競合医薬品の臨床試験結果を把握する

Quick Searchより調べたい医薬品名を入力して検索を開始します。入力し始めるとオートコンプリート機能が作動し、統制語の中から候補語を表示しますので、この中から選択することもできます。ここでは例として、Trastuzumabの乳がん、Phase 3 臨床試験のうち、エンドポイントを達成した試験の詳細を調べます。



- ※「…」のボタンから、他の検索オプションにアクセスできます。
- Full Text Search：検索可能なフィールド全てを対象にテキスト検索

検索結果画面が表示されたら、Report TypeからClinical Trialsを選択します。

The screenshot shows a search results page for the term 'trastuzumab'. On the left sidebar, the 'Report Type' section is highlighted with a green arrow pointing to the 'Clinical Trials (2339)' button, which is also enclosed in a red box. Below this, the 'Condition' section lists filters for 'Breast tumor (917)', 'Metastatic breast cancer (874)', and 'Metastatic stomach cancer (227)', with a 'Show all filters' button at the bottom, also highlighted with a red box and a green arrow. The main results area shows a table with columns: Title, Condition, and Patient Segment. The first result is 'Combination of Trastuzumab and NK Immunotherapy for Recurrent Breast Cancer' under the condition 'Breast tumor'. The second result is 'CareMore-Trastuzumab: The Effect of Anti-HER2 Therapy in Metastatic Breast Cancer With HER2-Negative Primary Tumor but HER2-Positive Circulating Tumor Cells' under the condition 'Metastatic breast cancer'. The third result is 'DESTINY-Breast03: DS-8201a' under the condition 'Brain tumor; Metastatic breast'. The interface includes a 'Refine Search' section with a search box and a 'Search' button, and a 'Results' section with 'Per page' (10) and 'Sort by' (Relevance) options.

Report Type	Title	Condition	Patient Segment
Clinical Trials (2339)	Combination of Trastuzumab and NK Immunotherapy for Recurrent Breast Cancer	Breast tumor	Breast tumor - Subjects with Advanced/Metastatic Breast Cancer/Stage IV Breast Cancer; Breast tumor - Subjects with Relapsed/Recurrent Disease; Breast tumor - Subjects with Treatment Resistant Disease
	CareMore-Trastuzumab: The Effect of Anti-HER2 Therapy in Metastatic Breast Cancer With HER2-Negative Primary Tumor but HER2-Positive Circulating Tumor Cells	Metastatic breast cancer	Breast tumor - Subjects with Advanced/Metastatic Breast Cancer/Stage IV Breast Cancer; Breast tumor - Subjects with HER-2 Negative Breast Cancer; Breast tumor - Subjects with HER-2 Positive Breast Cancer
	DESTINY-Breast03: DS-8201a	Brain tumor; Metastatic breast	Breast tumor - Subjects with

Show all filtersをクリックして詳細フィルター画面を起動します。

タブを切り替えて各フィルターを表示し、各々で条件を指定します。

- Condition = Breast tumor
- Drug Pipeline Interventions = Trastuzumab
- Phase = Phase 3、Phase 2/3、Phase 3b、Phase 3a
- Endpoint Met = Yes

SHOW ALL FILTERS

breast tumor **Look up**

☐ Non-Hierarchical List
☒ Hierarchical List

Condition

- Neoplasm (2269)
 - Benign tumor (1)
 - Cancer (374)
 - Male tumor (16)
 - Metastasis (382)
 - Neoplasm by site (2189)
 - Endocrine tumor (1812)
 - Adrenal gland tumor (2)
 - Breast tumor (1784)
 - Metastatic breast cancer (874)
 - Inflammatory breast cancer (7)
 - HR-/HER2+ breast cancer (HER2+ breast cancer) (1)
 - Pagets breast disease (1)

Patient Segment

Biomarkers

Biomarker Type

Biomarker Role

Drug Pipeline Interventions

Drug Pipeline Highest Development Status

Site Name

Contact Name

SHOW ALL FILTERS

Search Drug Pipeline Interv **Look up** Select filter view Frequency ▾

Condition

- ☒ trastuzumab (1287)
- ☐ pertuzumab (308)
- ☐ docetaxel (306)
- ☐ paclitaxel (269)
- ☐ trastuzumab emtansine (157)
- ☐ carboplatin (155)

Patient Segment

Biomarkers

Biomarker Type

Biomarker Role

Drug Pipeline Interventions

Drug Pipeline Highest Development Status

Collaborator Field of Activity

Phase

- ☐ Phase 2 Clinical (576)
- ☐ Phase Not Applicable (256)
- ☒ Phase 3 Clinical (159)
- ☐ Phase 1/Phase 2 Clinical (89)
- ☐ Phase 1 Clinical (86)
- ☐ Phase 4 Clinical (76)
- ☐ Phase 1b Clinical (21)
- ☒ Phase 2/Phase 3 Clinical (7)
- ☐ Phase 0 Clinical (6)
- ☒ Phase 3b Clinical (5)
- ☐ Phase 2a Clinical (2)
- ☐ Phase 2b Clinical (2)
- ☐ Phase 1a Clinical (1)
- ☒ Phase 3a Clinical (1)

Recruitment Status

Reason for Trial Discontinuation

Organization Type

Drug Pipeline Target-based Actions

Drug Pipeline Other Actions

Drug Pipeline Technologies

Start Date

End Date

Primary Endpoint Completion Date

Enrollment Rate

Enrollment End Date

City

State/Province/County

SHOW ALL FILTERS

Age/Race/Healthy Volunteers

Inclusion Criteria

Exclusion Criteria

Endpoint Types

All Endpoints

Primary Endpoints

Secondary Endpoints

Results Available

Endpoints Met

- ☐ Unspecified (65)
- ☒ Yes (12)
- ☐ No (10)

Registry Source

※「結果データの有無」で絞り込む場合は、
[Endpoints Met] ではなく、Results
Available (Yes/No) のフィルターが使えます。

必要な項目の指定が終わったら
[Apply] をクリックします。

Cancel **Apply**

タイトルをクリックして各レポートを開きます。

< Back | Forward > Search Results Analyze Save and Alert Download

12 results found for index Search for the search term 'trastuzumab' with filter(s) applied: trastuzumab; Yes; Breast tumor; Phase 2/Phase 3 Clinical; Phase 3 Clinical; Phase 3a Clinical First Previous 1 2 Next Last

Report Type Show selected only **Clinical Trials (2339)** Refine Search Clear All

Search within Results Search

▼ Condition Filters[1] Clear
Breast tumor (12) Show all filters

► Patient Segment

Results	Title	Condition	Patient Segment	Biomarkers	Interventions	Phase
Per page: 10 Sort by: Relevance Order Columns		Filters: [1] Clear	Filters: [0]	Filters: [0]		Filters: [4] Clear
✓	HANNAH: A Study to Compare Subcutaneous (SC) Versus Intravenous (IV) Administration of Herceptin (Trastuzumab) in Women With Human Epidermal Growth Factor Receptor (HER) 2-Positive Early Breast Cancer	Adenocarcinoma; Breast tumor	Breast tumor - Subjects with Early Stage Breast Cancer; Breast tumor - Subjects with HER-2 Positive Breast Cancer; Breast tumor - Subjects with Inflammatory Breast cancer; Breast tumor - Subjects with Locally Advanced Cancer;	Estrogen receptor ; HER2	Variable regimens including 5-fluorouracil , cyclophosphamide , docetaxel , epirubicin , trastuzumab , trastuzumab iv + docetaxel + epirubicin + cyclophosphamide + 5-fluorouracil , trastuzumab sc +	Phase 3 Clinical
✓	PHILA: A Study of pyrotinib in Combination With trastuzumab and docetaxel in Patients With HER2 Metastatic Breast Cancer	Metastatic breast cancer	Breast tumor - Subjects with Advanced/Metastatic Breast Cancer/Stage IV Breast Cancer; Breast tumor - Subjects with HER-2 Positive Breast Cancer; Breast tumor - Subjects with Relapsed/Recurrent Disease	Alanine transaminase ; Aspartate aminotransferase ; Creatinine ; HER2 ; Leukocyte count ; Neutrophils ; Total body mass	Variable regimens including docetaxel , pyrotinib dimaleate , pyrotinib dimaleate+pyrotinib dimaleate+ trastuzumab +pyrotinib dimaleate+ trastuzumab +docetaxel , pyrotinib	Phase 3 Clinical

レポートタブを切り替えて試験内容を確認します。

DownloadからフルレポートをPDF, Word形式でダウンロードできます。

[Snapshotタブ]
Title/試験番号
対象疾患/介入/アクティブコントロール/フェーズ
リクルートメントステータス/関連企業
患者の特性/デザイン/エンドポイントタイプ
登録数/評価可能患者数
日付（開始日/終了日など）

[Protocol & Results]
目的/スコープ
プロトコル
レジメン
結果
有害事象

[Subjects & measurements]
患者の適格性（選択基準、除外基準）
アウトカム評価項目
患者セグメント
バイオマーカー（名前/役割/タイプ）

[Registry Contacts & Sites]
コンタクト、国ごとのサイト情報

[Change History]
レポートの更新履歴

[Sources]
Sources：出典情報

< Back

Forward >

Clinical Trial Report

Alert

Download

Next

A Study to Compare Subcutaneous (SC) Versus Intravenous (IV) Administration of Herceptin (Trastuzumab) in Women With Human Epidermal Growth Factor Receptor (HER) 2-Positive Early Breast Cancer

Snapshot

Protocol & Results

Subjects & Measurements

Registry Contacts & Sites

Change History

Sources

Highlight

☐ Search Terms & Synonyms

< Previous

Next >

SNAPSHOT

Results Available Yes

Endpoints Met Yes

Title	A Study to Compare Subcutaneous (SC) Versus Intravenous (IV) Administration of Herceptin (Trastuzumab) in Women With Human Epidermal Growth Factor Receptor (HER) 2-Positive Early Breast Cancer
Scientific Title	A Phase III, Randomized Open-Label Study to Compare the Pharmacokinetics, Efficacy, and Safety of Subcutaneous (SC) Trastuzumab With Intravenous (IV) Trastuzumab Administered in Women With HER2-Positive Early Breast Cancer (EBC)
Identifiers	BO22227; NCT00950300; 2008-007326-19; HANNAH
Condition	Adenocarcinoma; Breast tumor View Epidemiology in IPD
Disease Markers	HER2; Estrogen receptor
Primary Interventions	Variable regimens including: 5-fluorouracil, cyclophosphamide, docetaxel , epirubicin , trastuzumab , trastuzumab iv + docetaxel + epirubicin + cyclophosphamide + 5-fluorouracil, trastuzumab sc + docetaxel + epirubicin + cyclophosphamide + 5-fluorouracil
Safety Intelligence for Primary Interventions	
Active Controls	Variable regimens including: 5-fluorouracil, cyclophosphamide, docetaxel , epirubicin , trastuzumab
Phase	Phase 3 Clinical
Recruitment Status	Completed
Reason for Trial Discontinuation	

レポートタブを切り替えて試験内容を確認します。

[Next](#) ▶

A Study to Compare Subcutaneous (SC) Versus Intravenous (IV) Administration of Herceptin (Trastuzumab) in Women With Human Epidermal Growth Factor Receptor (HER) 2-Positive Early Breast Cancer

Snapshot	Highlight ☐ Search Terms & Synonyms	< Previous	Next >
Protocol & Results	PROTOCOL & RESULTS		
■ Aims & Scope	AIMS & SCOPE		
■ Protocol Description	This was a randomized, open-label study to compare the pharmacokinetics, efficacy and safety of subcutaneous Herceptin (trastuzumab) with iv Herceptin administered in women with HER2-positive early breast cancer.		
■ Trial Arms	The aim of the study was to explore the association between the secondary endpoints total p between tpCR and EFS was also assessed according to estrogen receptor (ER) status [166346		
■ Regimens	The main objective of this trial were to compare between subcutaneous Herceptin and intrav observed pre-surgery. The efficacy (pathological complete response, pCR).		
■ Results	The secondary objective of this trial were to compare between subcutaneous Herceptin and i predicted Ctrough concentrations pre-surgery and post-surgery. The pharmacokinetic profile		
■ Adverse Events	To evaluate in the subcutaneous Herceptin and intravenous Herceptin arm. Total pathologica Time to response (TTR). Event-free survival (EFS). Overall survival(OS) . Safety and tolerability		
■ Treatment	As of February 2019, Herceptin Hylecta was approved by U.S. Food and Drug Administration (FDA) [2124606], [2124380].		
Subjects & Measurements			
Registry Contacts & Sites	PROTOCOL DESCRIPTION TEXT		
Change History	In this open-label, multicenter trial patients with operable or locally advanced breast cancer would be randomized to pre-operative treatment with eight cycles of chemotherapy (docetaxel followed by 5-fluorouracil/ epirubicin /cyclophosphamide) concurrent with either subcutaneous Herceptin or intravenous Herceptin. After surgery patients would receive a further 10 cycles of Herceptin subcutaneous or Herceptin intravenous as per randomization to		

PRESS RELEASE

28-Feb-2019
FDA Approves Herceptin Hylecta for Subcutaneous Injection in Certain HER2-Positive Breast Cancers
Genentech Inc
Source ID: 2124606
[View full report](#)


※数字をクリックすると、出典の書誌が確認できます。View full Reportのリンクがある場合は、クリックすると、Cortellisの他のレポートの詳細を確認できます。

上級検索 Advanced Search

活用事例 – 被験者募集中の競合する臨床試験を検索する

CortellisのAdvanced Searchでは、Look up機能で統制語を参照して検索式を作成することができます。思いついた検索語が、統制語にあるか否か、どのような階層構造で用意されているのかなどを確認しながら、統制語を用いて確実に検索式を作成することが可能です。また、検索フィールドを指定して検索をすることができるので、より適合度の高い検索条件を設定することができます。

ここでは例として、「Breast Tumorの臨床試験で被験者を募集中の臨床試験」を探します。



検索ボックス内の「⋮」をクリックして、Advanced Searchを選択します。

① Clinical Trialsのタブをクリックします。

Advanced Search - Clinical Trials

Search Strategy (non-editable) ?

Literature Clinical Trials

Condition

AND Select

AND Select

Add an additional search field

Reset SEARCH

③ 入力ボックスをクリックすると統制語のLook upツールが開きます。

Select
Scientific Title
Identifiers
Condition
Patient Segment Index
Phase
Site Name
Region
Country/Territory
State/Province/County
City
Recruitment Status
Reason for Trial Discontinuation
Organization Type
Sponsor Only
Collaborator Only
Sponsors/Collaborators
Protocol Description Text
Results Text
Category

② ドロップダウンメニューより検索項目を選択します。ここでは、Conditionを用います。

ADVANCED SEARCH - CONDITION 4

breast tumor Look up

Select from those listed below

Hierarchy Look-up List ※ 検索語を含む統制語の階層がハイライトされます。+をクリックすると、下位が展開して確認できます

- Endocrine disease (59781)
 - Breast disease (15400)
 - Breast tumor (15097)
 - Metastatic breast cancer (6179) (Metastatic breast tumor)
- Endocrine tumor (24531)
 - Breast tumor (15097)
 - Metastatic breast cancer (6179) (Metastatic breast tumor)
- Gynecology and obstetrics (35018)
 - Gynecology and obstetrics (35018)
 - Gynecological disorder (28575)
 - Breast disease (15400)
 - Breast tumor (15097)
 - Metastatic breast cancer (6179) (Metastatic breast tumor)
 - Neoplasm (130005)
 - Neoplasm (130005)
 - Neoplasm by site (111878)
 - Endocrine tumor (24531)
 - Breast tumor (15097)

5

Selected terms

+ Breast tumor x

※階層上でより上位の用語を選択すると、下位語も自動的に検索式に含まれます
※複数の単語を選択すると、自動的にOR演算となります。
※索引は複数の統制語グループに分類される場合がございますが、同一索引であればどのグループから選択しても同一の条件設定がされます。(グループごとに同一の索引を複数選択する必要はございません。)

6

Cancel Clear All Apply

4 検索したい言葉を入力して「Look up」をクリックします。

5 検索語に用いたい単語をクリックすると、Selected termsに入ります。

6 Applyボタンをクリックすると、検索式が検索ボックスに入力されます。

⑦ 他の検索項目と、AND、OR、NOTで演算することができます。

ここでは、Recruitment Statusフィールドで「Recruiting」を選択します。

Advanced Search - Clinical Trials

Search Strategy (non-editable) 

Condition ( Breast tumor)

AND Recruitment Status (Recruiting)

Literature Clinical Trials

⑦ Condition   Breast tumor X 

AND  Recruitment Status  Recruiting X 

AND  Select 

[Add an additional search field](#)

Reset 

⑧ 検索式が完成したらSearchボタンをクリックして検索します。

9 Report Typeには、検索したレポートのみが表示されます。

結果画面の機能はQuick Searchと同じです。

- Refine Search（絞り込み検索）
- Download
- Analyze
- Alert など

< Back | Forward > Search Results

Analyze Save and Alert Download

3431 results found for ' Condition (Breast tumor) AND Recruitment Status (Recruiting) '

First Previous 1 2 3 4 5 6 7 8 9 10 Next Last

Report Type

Show selected only 9

Clinical Trials (3431)

Refine Search

Search within Results

Search

▼ Condition

Results Per page: 10 Sort by: Relevance Order Columns View

Report Type	Title	Condition	Patient Segment	Biomarkers	Interventions	Phase
		Filters : [0]	Filters : [0]	Filters : [0]		Filters : [0]
	Phase II Study of Neoadjuvant Chemotherapy Regimen Choice in Breast Cancer	Breast tumor	Breast tumor - Subjects with gene variants - ERBB2_HUMAN_Amplification	HER2	Variable regimens including cisplatin , docetaxel , doxorubicine , epirubicin , paclitaxel , vinorelbine monotartrate	Phase 2 Clinical
	Lapatinib + Vinorelbine versus Vinorelbine HER2 Positive Metastatic Breast Cancer Progressed After Lapatinib/Tostuzumab	Metastatic breast cancer	Breast tumor - Subjects with Advanced/Metastatic Breast Cancer/Stage IV Breast Cancer; Breast tumor - Subjects with HER2 Positive Breast Cancer	HER2	vinorelbine monotartrate alone; lapatinib plus vinorelbine monotartrate	Phase 2 Clinical

10 検索レポートを外部出力します。（詳細は次頁）

ダウンロード機能

DOWNLOAD

1. Document Type 2. Document Format 3. Delivery Format 4. Download Files

CHOOSE THE DOCUMENT TYPE

You have 3431 records selected.

Results

- ☒ Microsoft Excel
- ☐ Microsoft Excel (unformatted) ⓘ
- ☐ BizInt

Reports

- ☐ PDF
- ☐ Microsoft Word

Cancel Next

出力フォーマットを選択します。選択後Nextをクリックします。

DOWNLOAD

1. Document Type 2. Document Format 3. Delivery Format 4. Download Files

CHOOSE THE DOCUMENT FORMAT

☐ Results Table

☒ Customized Results

Available content

- Condition
- Patient Segment
- Biomarkers
- Interventions
- Phase
- Recruitment Status
- Reason for Trial Discontinuation

Add >

Add All >>

< Remove

<< Remove All

Selected content

Title

move up move down

Cancel Previous Download


出力項目を選択します。選択後にDownloadを選択すると、レポートが外部出力されます。

更新情報を通知するアラート機能

活用事例 – 臨床試験中止・延期に関するプレスリリースをモニターする

Cortellis Clinical Trials Intelligenceでは、アラート機能を活用することで様々な情報のモニターが可能です。ここではCOVID-19を例に、臨床試験計画の遅延、一時中断、延期、再計画、中止の内容を含むプレスリリースをモニターする方法について解説致します。

検索ボックスに**COVID-19 AND (delay OR halt OR pause OR postpone OR reschedule)**と入力し、**Full Text**を選択して検索を実行します。（プレスリリースでは、検索結果一覧にてIndex検索に対応した索引フィールドは用意されていない為、Full Text検索が推奨されます）



① 検索結果一覧画面左のReport TypeにてPress Releaseを選択後に、更に下に位置するShow all filtersをクリックしフィルター機能を展開します。

< Back | Forward > Search Results [Save and Alert](#) [Download](#)

6494 results found for full text search for the search term 'COVID-19 AND (delay OR halt OR pause OR postpone OR reschedule)'

First Previous 1 2 3 4 5 6 7 8 9 10 Next Last

Report Type Results Per page: 10 Sort by: Relevance Order Columns View

Show selected only [Show hit fields](#)

Clinical Trials (1119) ☒

Conferences (117) ☒

Event Transcripts (10243) ☒

Literature (120) ☒

Press Releases (6494) ☒

Refine Search

Search within Results

Search

▼ Primary Companies

☐ Regeneron Pharmaceuticals Inc (349)

☐ Windtree Therapeutics Inc (150)

☐ Sanofi SA (131) **①**

Show all filters

► Secondary Companies

Coronavirus (COVID-19) Update: FDA Limits Use of Janssen COVID-19 Vaccine to Certain Individuals
Coronavirus (COVID-19) Update: FDA Limits Use of Janssen COVID-19 Vaccine to Certain Individuals PR Newswire SILVER SPRING, Md., May 5, 2022 SILVER SPRING, Md., May 5, 2022 /PRNewswire/ -- Today, the U.S. Issued By: Food and Drug Administration Publication Date: 05-May-2022

BetterLife Pharma announces Interferon Alpha-2b Covid-19 news regarding its emergence as a potential treatment for COVID-19
For further information please visit abetterlifepharma.com Cautionary Note The Company is not making any express or implied claims that AntiCovir or any other product has the ability to eliminate, cure or contain the Covid-19 (or SARS-2 Coronavirus) at this time. Issued By: BetterLife Pharma Inc Publication Date: 13-May-2020

BiondVax's Innovative Inhaled COVID-19 Therapy Virtually Eliminated SARS-COV-2 Virus in Preclinical In Vivo Study
BiondVax Innovative Inhaled COVID-19 Therapy Virtually Eliminated SARS-COV-2 Virus in Preclinical In Vivo Study January 06, 2023 07:15 ET | Source: BiondVax Pharmaceuticals Ltd. ... Issued By: BiondVax Pharmaceuticals Ltd Publication Date: 06-Jan-2023

RedHill Biopharma's Second COVID-19 Candidate, RHB-107, Cleared by FDA for Phase 2/3 Study in Symptomatic COVID-19 Disease
RHB-107 has demonstrated strong inhibition of SARS-CoV-2 viral replication in an in vitro human bronchial cell model and its safety profile has been demonstrated in approximately 200 people, including in Phase 2 studies in oncology indications. Issued By: RedHill Biopharma Ltd Publication Date: 17-Nov-2020

Sanofi and GSK announce a delay in their adjuvanted recombinant protein-based COVID-19 vaccine program to improve immune response in the elderly
The study will include a proposed comparison with an authorized COVID-19 vaccine. Issued By: Sanofi SA Publication Date: 11-Dec-2020

FDA and CDC Lift Recommended Pause on Johnson & Johnson (Janssen) COVID-19 Vaccine Use Following Thorough Safety Review
Specifically, the agencies assessed reports submitted to the Vaccine Adverse Event Reporting System (VAERS), reviewed the medical literature and considered the information from global regulatory partners about thrombosis with thrombocytopenia that have been reported following use of a similar, yet not identical, COVID-19 vaccine using a virus from the adenovirus family that has been modified to contain the gene for making a protein from SARS-CoV-2

- 2 Filter項目にてFocusを選択し、Clinical Trial Amendments, Clinical Trial Results, Clinical Trial Amendmentsをチェックした後、Applyボタンから再検索します。

SHOW ALL FILTERS

Select filter view Alphabetical ▾

Primary Companies	A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0-9 All
Secondary Companies	
Company Field of Activity	
Primary Drugs	
Secondary Drugs	
Indications	
Focus	
Target-based Actions	
Other Actions	
Technologies	
Publication Date	
Added Date	

- ☒ Clinical Trial Amendments (65)
- ☒ Clinical Trial Announcements (646)
- ☒ Clinical Trial Results (1167)

Cancel Apply

- ③ 条件に沿って再度検索結果が表示されますので、画面右上部に位置するSave and Alertから検索条件の保存と、条件に対するアラート設定を行います。

< Back | Forward > Search Results

③ 1835 results found for full text search for the search term 'COVID-19 AND (delay OR halt OR pause OR postpone OR reschedule)' with filter(s) applied: Clinical Trial Amendments; Clinical Trial Announcements; Clinical Trial Results

First Previous 1 2 3 4 5 6 7 8 9 10 Next Last

Report Type Results Per page: 10 Sort by: Relevance Order Columns View

Show selected only

Clinical Trials (1119)

Conferences (117)

Event Transcripts (10243)

Literature (120)

Press Releases (6494)

Refine Search

Search within Results

Search

▼ Primary Companies

③ Save and Alert Download

✓ [RedHill Biopharma's Second COVID-19 Candidate, RHB-107, Cleared by FDA for Phase 2/3 Study in Symptomatic COVID-19 Disease](#)
RHB-107 has demonstrated strong inhibition of SARS-CoV-2 viral replication in an in vitro human bronchial cell model and its safety profile has been demonstrated in approximately 200 people, including in Phase 2 studies in oncology indications.
Issued By: RedHill Biopharma Ltd
Publication Date: 17-Nov-2020



✓ [Sanofi and GSK announce a delay in their adjuvanted recombinant protein-based COVID-19 vaccine program to improve immune response in the elderly](#)
The study will include a proposed comparison with an authorized COVID-19 vaccine.
Issued By: Sanofi SA
Publication Date: 11-Dec-2020

✓ [VirTrial Partners with BetterLife To Launch COVID-19 Clinical Trials](#)
Ahmad Doroudian, CEO of BetterLife said, "Considering the constantly changing restrictions on travel due to COVID-19, we felt that this was the best option for us to proceed without delay with our patient trials."
Issued By: VirTrial
Publication Date: 09-Oct-2020

✓ [Novavax Provides Phase 3 COVID-19 Vaccine Clinical Development Update](#)
Novavax is undertaking clinical trials for NVX-CoV2373, its vaccine candidate against SARS-CoV-2, the virus that causes COVID-19.
Issued By: Novavax Inc
Publication Date: 27-Oct-2020

Show hit fields

④ Save and alert on search queryをクリックし、検索クエリの保存とクエリに対するアラート設定を行います。



⑤ 通知を受信する際のアラート名を編集し、Nextボタンから次の設定に進みます。

- ⑥ アラートの対象範囲を更に選択する画面ですが、プレスリリースについては項目選択はできない為、このままNextを選択します。更新はなかったという情報を通知したい場合、Alert me if there are no updatesにチェックを入れます。

The screenshot shows the 'Step 2' interface of a four-step process. The progress bar at the top highlights 'Step 2'. The main heading is 'REASON FOR UPDATE', followed by a descriptive sentence: 'The alerts notifications inform you about records that are new or that are removed from your search results set over time.' Below this, it says 'Alert updates...' and 'No options currently available'. A checkbox labeled 'Alert me if there are no updates' is highlighted with a red box and a red circle with the number 6. At the bottom right, the 'Next' button is highlighted with a red box and a red circle with the number 6. The 'Previous' and 'Cancel' buttons are also visible.

The screenshot shows the 'Step 3' interface of a four-step process. The progress bar at the top highlights 'Step 3'. The main heading is 'FORMAT, START DATE AND FREQUENCY', followed by the instruction: 'Choose your preferred alert format, when you would like alerts to start and how often.' A red box with a red circle containing the number 7 encompasses the 'Email format' section, which includes radio buttons for 'HTML' (selected) and 'Text'. Below this is the 'Start date of alert' section with radio buttons for 'Earliest available date ()' (selected) and 'Specify date' with a date picker. The 'Frequency' section has a dropdown menu set to 'Daily'. At the bottom, the 'Share' section has a checkbox for 'I would like to share this alert with colleagues'. At the bottom right, the 'Create' button is highlighted with a red box and a red circle with the number 7. The 'Previous' and 'Cancel' buttons are also visible.

- ⑦ アラート受信時のフォーマット選択、アラート受信開始日、アラートを受信するサイクル、同僚へのアラート送信設定を行い、最後にCreateを選択することでアラート設定が完了します。

臨床試験可視化分析ツール

活用事例 – 競合する臨床試験のタイムラインや実施期間を把握する

詳細な分析ツールの操作方法については以下の資料もご参照ください。
https://clarivate.com/ja/download/cti_tips_clinical-trial-timeline_2023/

Clinical Trials Intelligenceに搭載されたAnalyze機能は、インタラクティブな可視化分析ツールです。ここでは例として、非アルコール性脂肪肝炎（NASH）を対象疾患に含む臨床試験について主な分析結果を紹介します。

1

Cortellis

Q "Non-alcoholic steatohepatitis"

X | ✨ ... Search

< Back | Forward > Search Results

Related Content

3 Analyze

2803 results found for index Search for the search term "Non-alcoholic steatohepatitis"

First Previous 1 2 3 4 5

Report Type	Results	Per page: 10	Sort by: Relevance	Order Columns	
Show selected only	✓ Title	Condition	Line of Therapy	Patient Segment	Biomarkers
Broker Research (27599)	Filters: [0]	Filters: [0]	Filters: [0]	Filters: [0]	Filters: [0]
Clinical Trials (2803)	✓ Bovine Colostrum for Patients With Non-Alcoholic Fatty Liver Disease	Metabolic dysfunction-associated steatohepatitis		Other gastrointestinal disease - Subjects with specific disease - Subjects with Nonalcoholic	Adiponectin ; Alanine transaminase ; Alkaline phosphatase ; Aspartat


1 Quick Searchにてnon-alcoholic steatohepatitisを検索します。

2 FilterにてConditionをnon-alcoholic steatohepatitisで指定します。

3 Analyzeをクリックすることで、抽出された試験を対象とし、分析ツールが起動します。


[Overview by Year] 開始年単位で試験期間の全体像を分析

分析後に最初に表示される [Overview by Year] では試験開始年で区切った臨床試験の実施期間を表示します。



[Duration by Company] 試験平均期間を組織間で比較分析


[Duration by Company] では組織間で平均試験期間の比較分析が可能です。



- 1 フィルターからDuration Typeを Trial Completionに限定し、試験が終了するまでの期間（予定含む）について、試験数（円のサイズ）と合わせて、組織ごとの結果を比較表示しています。

【Trial Timelines】 各試験単位で試験期間を表示


【Trial Timelines】では個々の試験単位で期間を表示します。



① 特定の試験を選択し、比較表示することが可能です。(フィルターにて Duration TypeをTrial Completionに限定しています)

[Trial Locations] 国別の臨床試験実施状況（数）を把握


[Trial Locations] ではMAP上で国別地域別の試験数を把握可能です。



① フィルターでPhase、実施国、Recruitment Status等の条件を指定し、MAP上で実施国別の試験数分布を把握できます。

[Duration by Phase] Phase別の試験期間を比較分析

[Duration by Phase] では以下の通りに試験期間の軸を変更し、それぞれの平均試験期間をPhaseごとで比較可能です。
Enrollment、Primary Endpoint Completion、Trial Completion




① フィルターで試験期間のType、Recruitment Status等の条件を指定可能です。

ここでは「Duration Type」をTrial Completionにし、平均試験期間を表示しています。

[Duration by Condition] 疾患別の平均試験期間を比較分析

【Duration by Condition】では疾患別の平均試験期間を試験期間のTypeごとに比較表示します。技術やMOAから限定した試験について、疾患ごとに試験期間を分析する際に有用です。



1 ここではDuration TypeをTrial Completionで指定し、平均試験期間を疾患別で表示しています。

[Statistics] 試験期間の統計データを出力

① [Statistics] では分析対象の試験期間について、開発フェーズ別の試験数、試験期間等の統計を表示します。

Clinical trials timeline

③

Overview by Year | Duration by Company | Trial Timelines | Trial Locations | Duration by Phase | Duration by Condition | **Statistics** | ...

Start Date: 2014/01/01 | 2023/12/18

①

Duration Type	Trial Completion				
Phase	# Trials	Min	Median	Max	Average
Phase 0 Clinical	9	156	729	1460	784
Phase 1 Clinical	115	21	333	3188	435
Phase 1/Phase 2 Clinical	17	248	630	1884	853
Phase 1a Clinical	6	61	769	1096	667
Phase 1b Clinical	9	237	349	1012	476
Phase 2 Clinical	175	74	776	3348	921
Phase 2/Phase 3 Clinical	8	242	651	1653	897
Phase 2a Clinical	63	103	610	2450	770
Phase 2b Clinical	80	423	1078	2123	1062
Phase 3 Clinical	50	272	1231	3231	1279
Phase 3a Clinical	3	2946	2946	2946	2946
Phase 4 Clinical	31	187	1711	2862	1573
Phase Not Applicable	305	121	1104	7305	1549

②

Phase: すべて

Company: すべて

Parent Company: すべて

Trial Involvement: すべて

Duration Type: 複数選択

Duration Status: すべて

Recruitment Status: すべて

フィルター

このビジュアルでのフィルター...

- Average (すべて) です
- Duration Type (すべて) です
- Company (すべて) です
- Indication (すべて) です
- Relationship (すべて) です
- Status (すべて) です
- # Trials (すべて) です
- Max (すべて) です
- Median (すべて) です

② フィルターの使用が可能です。（ここではDuration TypeをTrial Completionで指定しています）

③ その他のオプションから統計の外部出力が可能です。

ログイン後TOP画面からのアクセス

Quick Search、Advanced Searchの検索結果に加え、ログイン後ホームページ上におけるClinical Trials Intelligenceのポートレットからも分析を開始できます。


The screenshot displays the 'Clinical Trials Intelligence' dashboard. On the left, there is a sidebar with a 'View All' link and five category buttons: 'Medical Device Trials', 'Clinical Trials', 'Event transcripts', 'Literature', and 'Digital Health Trials'. The main content area is divided into three columns. The first column, 'Clinical Trial Sites', features a world map and the text 'Identify clinical trial sites by condition, biomarkers and location.' The second column, 'Clinical trials', shows a group of diverse people and the text 'View all Clinical trials information'. The third column, 'Analysis', is highlighted with a red border and a red circle with the number '1'. It contains the title 'Analysis', the subtitle 'Clinical trials timeline', a description 'Launch an interactive visualization of clinical trials timelines around a condition or company', a toggle switch between 'Condition' and 'Company' (with 'Condition' selected), a text input field containing the word 'Condition', and an 'Analyze' button.

① Analysis Clinical trials timelineを選択 => 疾患、企業を選択 => 統制語を入力 => Analyze

試験実施サイト検索ツール

活用事例 – サイトセレクションツールを活用し試験候補施設を選定する

1. Cortellisログイン後のトップページにてClinical Trials Intelligenceのポートレットを展開しClinical Trial Sitesを選択します。



2. 画面左に配置された検索対象施設の条件項目の中から、Show all filtersをクリックします。

≡

Home

Search

Grid

Refresh

Clinical Trial Sites

Sites

Incidence

Prevalence

219,447 Total sites

Filters

Filter by text

↓ Export

施設レコード一覧を出力します。

Filtersを選択し、表示する施設の条件指定を行います。

☒	Site Name	City	State / Province / County	Postal Code	Country / Territory	Total Trial Count	Matched Trial Count	Top Therapy Areas	Top Sponsors
☒	Mayo Clinic	Rochester	Minnesota	55905	US	4525	NA	Cancer Cardiovascular Neurology/Psychiatric	Mayo Clinic Mayo Clinic Foundation NIH National Cancer Institute
☒	Washington University	St. Louis	Missouri	63110	US	4446	NA	Cancer Neurology/Psychiatric Infection	The Washington University NIH National Cancer Institute Washington University in St Louis Scho...
☒	Massachusetts General Hospital	Boston	Massachusetts	02114	US	4285	NA	Cancer Neurology/Psychiatric Cardiovascular	The General Hospital Corp (d/b/a Mass... Dana Farber Cancer Institute Inc National Institute of Allergy and Infecti...

3. Conditionsを選択します。ここでは例としてautism（自閉症）を入力、その後右下に表示されたApplyをクリックします。

The screenshot shows a web interface for filtering search results. On the left, a 'Filters' sidebar is visible with a 'Reset' button. Under the 'Trial' category, 'Conditions' is selected and highlighted with a green dot. Other filter options include Biomarkers, Biomarker Type, Biomarker Role, Patient Segment, Trial phase (drugs), Recruitment Status, Endpoints Met, Enrollment Rate, Site, Region, and Country / Territory. The main 'Conditions' panel on the right has a search bar containing 'autism'. Below the search bar, there are two checkboxes: 'Select all/Deselect all' and 'Autism (1277)', both of which are checked. At the bottom right of the 'Conditions' panel, there are 'Cancel' and 'Apply' buttons.

※治験実施時の対象疾患以外にも、被験者募集のステータス、試験の組み込みバイオマーカー、被験者層等といった様々な条件に基づき施設の絞り込みが可能です。

4. 自閉症の試験経験のある施設レコードに限定されました。施設名をクリックしレコードを確認します。

Clinical Trial Sites

Sites

Incidence

Prevalence

1,277 Total sites

Filters

Filter by text

Filtered By

Trials - Conditions: Autism

×

Export

Table

Map

☒	Site Name	City	State / Province / County	Postal Code	Country / Territory	Total Trial Count	Matched Trial Count	Top Therapy Areas	Top Sponsors
☒	Mayo Clinic	Rochester	Minnesota	55905	US	4525	1	Cancer Cardiovascular Neurology/Psychiatric	Mayo Clinic Mayo Clinic Foundation NIH National Cancer Institute
☒	Washington University			63110	US	4446	2	Cancer Neurology/Psychiatric Infection	The Washington University NIH National Cancer Institute Washington University in St Louis Scho...
☒	Massachusetts General Hospital	Boston	Massachusetts	02114	US	4285	20	Cancer Neurology/Psychiatric Cardiovascular	The General Hospital Corp (d/b/a Mass... Dana Farber Cancer Institute Inc National Institute of Allergy and Infecti...

施設名をクリックすると施設レコードへ移動します。

5-1. 施設の試験運営実績の表示、該当する試験レコード一覧へアクセス可能です。

Massachusetts General Hospital

☰ ⏪ ⏩ ⏴ ⏵

Snapshot

City	Matched Condition
Boston	Autism
State/Province/County	Top Therapy Areas
Massachusetts	Cancer Neurology/Psychiatric Cardiovascular
Postal code	Top Sponsors
02114	The General Hospital Corp (d/b/a Massachusetts General Hospital)
Country/Territory	Dana Farber Cancer Institute Inc
US	National Institute of Allergy and Infectious Diseases



Total Trials

4285



Matched Trials

20



Ongoing Trials

794



数値をクリックすると該当試験レコード一覧へアクセスします。

Site Statistics



Ongoing Matched Trials

4



Completed Total Trials in past 12 months

0



Completed Matched Trials in past 12 months

0



Most Recent Matched Trial Start Date

01-Aug-2025



Number of Planned Matched Trials

0



Number of Matched Trials Endpoints Met

0



Number of Matched Trials Terminated/Suspended

4


5-2. 施設の試験運営実績の表示、該当する試験レコード一覧へアクセス可能です。

Matched Trial Analytics

Choose a date or range



Trial phase (drugs)




Page 1 of 2 |< < > >|

Recruitment Status




Top Sponsors



Page 1 of 1 |< < > >|

Top Conditions



Page 1 of 1 |< < > >|

6. 次に画面右上に配置されたViewsにて、一覧の表示形式を切り替えます。

Home

Views

Grid

Refresh

Sites

Incidence

Prevalence

1,277 Total sites

Filters

Filter by text

Filtered By

Trials - Conditions: Autism X

Viewsのアイコンを選ぶことで、画面表示を切り替えることができます。

Table



Map

☒	Site Name	City	State / Province / County	Postal Code	Country / Territory	Total Trial Count	Matched Trial Count	Top Therapy Areas	Top Sponsors
☒	Mayo Clinic	Rochester	Minnesota	55905	US	4525	1	Cancer Cardiovascular Neurology/Psychiatric	Mayo Clinic Mayo Clinic Foundation NIH National Cancer Institute
☒	Washington University	St. Louis	Missouri	63110	US	4446	2	Cancer Neurology/Psychiatric Infection	The Washington University NIH National Cancer Institute Washington University in St Louis Scho...

Clarivate™


© 2025 Clarivate 39

7. MAP表示に切り替えることで地域、国単位での治験実施状況を俯瞰し、施設単位でMAP上から試験レコードへアクセスし情報を取得することが可能です。



MAP上のアイコンをクリックし、施設単位での試験情報へアクセス可能です。

8. 画面上部のタブをIncidence・Prevalenceに切り替えることで、国別の疫学情報を確認可能です。




ユーザーサポートのご案内

Support

のご活用



ログイン後に画面端に表示される「Support」アイコンから様々なガイドをご利用頂けます。

DBアクセス時にCookieの受け入れ許可をお願い致します。（下図黄色枠）受け入れ頂くことで、同アイコンが表示されます。




- アップデートのお知らせ
- 使い方ガイド
(日本語あり)
- 各種トレーニング資料（日本語ページへのリンクあり）
- ユーザーコミュニケーションツールによるフィードバック


より便利にお使い頂くために



各種お知らせや資料へのリンク



機能強化・改善要望



英語/日本語
サポートページ

ユーザーサポート

ご活用ください！

日本語サポートサイト

<https://clarivate.com/cortellis/ja/learning/cortellis-training-home-1564/>

日本スタッフによる日本語マニュアル・資料をご用意。

パブリックWebセミナー

<https://clarivate.com/cortellis/ja/training-webinars/>

ユーザーならどなたでも参加できるWebセミナーを年間を通じて開催。参加できなくても録画版を視聴できます。

ライフサイエンス & ヘルスケア 製品サポートサイト

操作解説資料、動画、セミナー録画など

こちらにない内容はお問い合わせください。

何をお探しですか？

 初めてお使いになる方はこちらから ようこそCortellisスイートへ。初めてお使いになる方へ向けたコンテンツをご用意いたしました。	 統合情報 包括的な統合情報の収集・分析のためのCortellis Competitive Intelligence	 薬事・規制 医薬品・医療機器の薬事情報：Cortellis Regulatory Intelligence	 臨床開発 臨床開発を成功に導くためのCortellis Clinical Trials Intelligence
---	---	---	--

ライフサイエンス & ヘルスケア 製品ウェブセミナー

2024年6月20日11:00~12:00 (60分) 安全性情報データベースOFF-X 入門編トレーニングウェブセミナー	Ⓞ
2024年6月20日13:00~14:00 (60分) Cortellis Drug Discovery Intelligence基本編：創薬に必要な科学的根拠に基づく情報をワンストップで収集	Ⓞ
2024年6月20日14:30~15:30 (60分) 医薬品統合情報データベース Cortellis Competitive Intelligence 基本編トレーニングウェブセミナー	Ⓞ
2024年6月20日16:00~17:00 (60分) Cortellis Regulatory Intelligence基本編：世界の最新規制情報の収集と分析を効率的に進めるには？	Ⓞ

見逃し配信

カスタマーケア

☎ 0800-919-1307(フリーダイヤル)
(土日祝日を除く) 9:30~17:30

✉ lsh.support@clarivate.com

専門スタッフが対応。使い方、アクセスなどにお困りの際は、気軽に日本語で問合せが可能。

使い方等に関する
ご質問はこちらに。



Think forwardTM

About Clarivate

Clarivate is the leading global information services provider. We connect people and organizations to intelligence they can trust to transform their perspective, their work and our world. Our subscription and technology-based solutions are coupled with deep domain expertise and cover the areas of Academia & Government, Life Sciences & Healthcare and Intellectual Property. For more information, please visit [clarivate.com](https://www.clarivate.com)

© 2025 Clarivate. All rights reserved

Clarivate and its logo, as well as all other trademarks used herein are trademarks of their respective owners and used under license.