


Cortellis Competitive Intelligence™ 應用案例

如何及時得知關注領域新進入臨床 3 期的藥物清單

您可以通過科睿唯安 Cortellis 資料庫客製提醒(Alert)通知，如您關注的領域有藥物進入新的研發階段。具體操作如下：

1. 以腫瘤領域 3 期專案為例，登錄 Cortellis 後，點擊①處 “Advanced search”，進入進階檢索頁面。



2. 在進階檢索頁面中，在② “indication” 處選擇 “Neoplasm”，status 選擇 “Phase 3 Clinical”，點擊③處的 “Search” 按鈕，進入藥物清單頁面。

Search Strategy (non-editable)

Current Development Status ()

Indication (Neoplasm)

Status (Phase 3 Clinical)

Drugs Patents Literature Clinical Trials Regulatory Deals

Structure Search

Any Action

AND Current Development Status

Indication Neoplasm

Status Phase 3 Clinical

Company

Country/Territory

Date From To

Link to highest status

AND Select

Add an additional search field

Reset SEARCH

3. 在藥物清單頁面，點擊④處“Save and Alert”，進入建立提醒頁面。

< Back Forward > Search Results

Timeline & Success Rates Related Content Analyze Save and Alert Download

258 results found for 'Current Development Status (Indication (Neoplasm) Status (Phase 3 Clinical) link to highest status)'

First Previous 1 2 3 4 5 6 7 8 9 10 Next Last

Report Type	Results	Per page: 10	Sort by: Last Change Date	Order Columns	View																		
Show selected only	<table border="1"> <thead> <tr> <th>Drug Name</th> <th>Originator Company</th> <th>Active Companies</th> <th>Therapy Area</th> <th>Active Indications</th> <th>Target-based Actions</th> </tr> </thead> <tbody> <tr> <td>eicosapentaenoic acid (oral, familial adenomatous polyposis/inflammatory bowel disease; Crohns disease); SLA Pharma</td> <td>SLA Pharma AG</td> <td>SLA Pharma AG</td> <td>Infection; Gastrointestinal</td> <td>Coronavirus disease 19 infection; Crohns disease; Familial adenomatous polyposis; Inflammatory bowel disease; Ulcerative colitis</td> <td></td> </tr> <tr> <td>bempepalidesleukin</td> <td>Nektar Therapeutics</td> <td>Bristol-Myers Squibb Co; Nektar Therapeutics; Ono Pharmaceutical Co Ltd</td> <td>Cancer</td> <td>Advanced solid tumor; Bladder cancer; Cancers; Colorectal tumor; Head and neck tumor; Hormone refractory prostate cancer; Merkel cell carcinoma; Metastatic bladder cancer; Metastatic breast cancer;</td> <td>CD122 agonist; IL-2 receptor agonist</td> </tr> </tbody> </table>	Drug Name	Originator Company	Active Companies	Therapy Area	Active Indications	Target-based Actions	eicosapentaenoic acid (oral, familial adenomatous polyposis/inflammatory bowel disease; Crohns disease); SLA Pharma	SLA Pharma AG	SLA Pharma AG	Infection; Gastrointestinal	Coronavirus disease 19 infection; Crohns disease; Familial adenomatous polyposis; Inflammatory bowel disease; Ulcerative colitis		bempepalidesleukin	Nektar Therapeutics	Bristol-Myers Squibb Co; Nektar Therapeutics; Ono Pharmaceutical Co Ltd	Cancer	Advanced solid tumor; Bladder cancer; Cancers; Colorectal tumor; Head and neck tumor; Hormone refractory prostate cancer; Merkel cell carcinoma; Metastatic bladder cancer; Metastatic breast cancer;	CD122 agonist; IL-2 receptor agonist				
Drug Name	Originator Company	Active Companies	Therapy Area	Active Indications	Target-based Actions																		
eicosapentaenoic acid (oral, familial adenomatous polyposis/inflammatory bowel disease; Crohns disease); SLA Pharma	SLA Pharma AG	SLA Pharma AG	Infection; Gastrointestinal	Coronavirus disease 19 infection; Crohns disease; Familial adenomatous polyposis; Inflammatory bowel disease; Ulcerative colitis																			
bempepalidesleukin	Nektar Therapeutics	Bristol-Myers Squibb Co; Nektar Therapeutics; Ono Pharmaceutical Co Ltd	Cancer	Advanced solid tumor; Bladder cancer; Cancers; Colorectal tumor; Head and neck tumor; Hormone refractory prostate cancer; Merkel cell carcinoma; Metastatic bladder cancer; Metastatic breast cancer;	CD122 agonist; IL-2 receptor agonist																		

Refine Search

Search within Results

Search

Indications and Therapy

Therapy Area

Cancer (251)

4. 在保存和提醒頁面，選擇“提醒檢索式 (Alert on search query)”。

SAVE SEARCH AND/OR ALERT

Choose if you would like to save the search query or reports, create an alert, or save and alert combined; based on the search query (including filters) or reports in the results list

Save search query	Alert on search query	Save and alert on search query
Save reports	Alert on reports	Save and alert on reports

5. 在⑤處對該提醒進行命名，點擊“Next”按鈕。

6. 在多選框中選擇需要提醒的內容。

7. 在⑥處選擇提醒的頻率，⑦處勾選“我與同事分享提醒”，在⑧處添加同事的 email，即可讓同事也收到提醒。

科睿唯安 台灣辦公室

台北市信義區松智路1號11樓

客戶支援專線：0080 149 1138

客戶支援信箱：ts.support.asia@clarivate.com

clarivate.com