

ProQuest Materials Research Professional

Date revised: 27 July 2021

Description

Bibliographic coverage of serial and non-serial literature on metallurgy, ceramics, polymers, and composites used in engineering applications. In-depth coverage from raw materials and refining through processing, welding and fabrication to end uses, corrosion, performance and recycling. Includes all metals, alloys, polymers, ceramics, and composites.

Included Databases

- Aluminium Industry Abstracts
- Ceramic Abstracts
- Copper Technical Reference Library
- Corrosion Abstracts
- Engineered Materials Abstracts
- Materials Business File
- METADEX

Subject Coverage

- Steel
- Non-ferrous metals
- Intermetallic compounds
- Ceramics
- Composites
- Polymers
- Plastics
- Rubber
- Adhesive bonding
- Glass
- Casting and molding
- Heat treatment
- Welding

The following thesauri are available

- Copper Thesaurus
- Engineered Materials Thesaurus
- Metallurgical Thesaurus
- Technology Terms

Date Coverage

1960-present

Update Frequency

Monthly

Geographic Coverage

International

Document Types

- Books
- Conference Papers
- Dissertations & Theses
- Patents
- Reports
- Scholarly Journals

Publisher

This database contains a collection of ProQuest's quality technology and engineering products. Questions concerning file content should be directed to:

ProQuest LLC
789 E. Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106-1346
USA

Telephone: 1-734-761-4700
Toll-free: 1-800-889-3358
Fax: 1-734-997-4268
www.proquest.com

TI
AU
AUFN,AULN
PUB

AB

SU
TI

AU

AF

LA
DTYPE
DF
PUB

SRC

VO
ISS
PG
PCT
ISSN



Add to selected items

Save to My Research

Email

Print

Cite

Export/Save ▾

Ligand placement based on prior structures: the guided ligand-replacement method

Klei, Herbert E ; Moriarty, Nigel W ; Echols, Nathaniel; Terwilliger, Thomas C; Baldwin, Eric T ; et al. *Acta Crystallographica Section D* 70.1 (Jan 1, 2014): 134-143.

Show duplicate items from other databases

Abstract (summary) [Translate](#)

The process of iterative structure-based drug design involves the X-ray crystal structure determination of upwards of 100 ligands with the same general scaffold (i.e. chemotype) complexed with very similar, if not identical, protein targets. In conjunction with insights from computational models and assays, this collection of crystal structures is analyzed to improve potency, to achieve better selectivity and to reduce liabilities such as absorption, distribution, metabolism, excretion and toxicology. Current methods for modeling ligands into electron-density maps typically do not utilize information on how similar ligands bound in related structures. Even if the electron density is of sufficient quality and resolution to allow de novo placement, the process can take considerable time as the size, complexity and torsional degrees of freedom of the ligands increase. A new module, Guided Ligand Replacement (GLR), was developed in Phenix to increase the ease and success rate of ligand placement when prior protein-ligand complexes are available. At the heart of GLR is an algorithm based on graph theory that associates atoms in the target ligand with analogous atoms in the reference ligand. Based on this correspondence, a set of coordinates is generated for the target ligand. GLR is especially useful in two situations: (i) modeling a series of large, flexible, complicated or macrocyclic ligands in successive structures and (ii) modeling ligands as part of a refinement pipeline that can automatically select a reference structure. Even in those cases for which no reference structure is available, if there are multiple copies of the bound ligand per asymmetric unit GLR offers an efficient way to complete the model after the first ligand has been placed. In all of these applications, GLR leverages prior knowledge from earlier structures to facilitate ligand placement in the current structure.

Other formats:

Brief citation

Find a copy

LINK to Full Text

Check for full text via 360 Link

S·F·X

WebBridge

Check for full text via WebBridge

Show more

More like this

▶ See similar documents

Indexing (details) Cite

Subject	Algorithms
Title	Ligand placement based on prior structures: the guided ligand-replacement method
Author	Klei, Herbert E ¹ ; Moriarty, Nigel W; Echols, Nathaniel; Terwilliger, Thomas C; Baldwin, Eric T; Pokross, Matt; Posy, Shana; Adams, Paul D
Language	English
Document type	Journal Article
Document feature	figure 0
Publication title	<i>Acta Crystallographica Section D</i>
Source details	<i>Acta Crystallographica Section D</i> [Acta Crystallogr. Sect. D]. Vol. 70, no. 1, pp. 134-143. 1 Jan 2014.
Volume	70
Issue	1
Pagination	134-143
Page count	10
ISSN	1399-0047
Electronic ISSN	1399-0047

PB SFL	Publisher	Wiley-Blackwell, 111 River Street Hoboken NJ ☎ 07030-5774 United States
	Subfile	Solid State and Superconductivity Abstracts (SO); METADEX (MD); Advanced Polymers Abstracts (EP); Composites Industry Abstracts (ED); Engineered Materials Abstracts, Ceramics (EC)
DOI PD,YR DREV AN	DOI	http://dx.doi.org/10.1107/S1399004713030071
	Publication date	Jan 1, 2014
	Date revised	2014-03-01
	Accession number	19016986
FAV UD	Document URL	http://search.proquest.com/professional/docview/1506366343?accountid=137296
	First available	2014-03-12
	Updates	2014-03-12
	Database	ProQuest Materials Research Professional (1965 - current)

Search fields

Field Name ¹	Field Code	Example	Description and Notes
Abstract	AB	ab("modeling ligands")	Use adjacency and/or Boolean operators to narrow search results.
Abstract present	ABANY	"protein targets " AND abany(yes)	Add: <i>AND ABANY(YES)</i> to a query to limit retrieval to records with abstracts.
Accession number	AN	an(19016986)	A unique document identification number assigned by the information provider. A record can display multiple accession numbers – depending on the products within which it is stored.
All fields	ALL	all("reinforced concrete" NEAR/5 carbon)	Searches all fields in bibliographic files. Use adjacency and/or Boolean operators to narrow search results.
All fields + text	--	"reinforced concrete" N/5 carbon	Same as ALL field code: searches all fields in bibliographic files.
Author ²	AU	au("posy, shana")	Includes all authors.
Author First Name	AUFN	aufn(shana)	See also First author.
Author Last Name	AULN	auln(posy)	
Author affiliation	AF	af(Physical Biosciences Division, Lawrence Berkeley National Laboratory, Berkeley)	
Cited author	CAU	cau(thomas harris)	Authors of cited works.
Cited document title	CTI	cti("lithium titanate")	
Cited publication date	CYR	cyr(2009)	
Cited publication title	CPUB	cpub("biotechnology for biofuels")	
Classification code ²	CC	cc("electrical properties")	Not currently displayed
Conference information	CF	cf("offshore structures ") cf(glasgow) cf(sweden) cf(2008)	Includes conference title, location, number, date.
Corporate author	CA	ca(hoechst or schering)	
Date revised	DREV	drev(20140101) drev(>20111231)	Date that the Information provider revised the record. Note that not all Providers identify a date of revision.
DOI	DOI	doi("10.1007/s00707-013-0941-z")	Digital Object Identifier. Search the portion of the DOI that comes after http://dx.doi.org/ .
Document feature	DF	df(graphs)	Indicates presence in original article of availability of graphics, tabular data, illustrations, etc.

¹ Proquest Materials Research Professional is a 'meta-product'; it brings together multiple databases under a single search interface. All the fields listed here as being searchable and displayable may not be present in every one of these individual databases.

² A Lookup/Browse feature is available for this field in the Advanced Search dropdown or in Browse Fields.

Field Name ¹	Field Code	Example	Description and Notes
Document title	TI	ti("ligand placement based on prior structures")	Includes Title, Alternate Title, Original Title, and Subtitle but not Publication Title (PUB).
Title only	TIO	tio("nuclear data validation)	Searches only the Title, not Subtitle or Alternate Title.
Alternate title	OTI	oti(federleicht)	Usually the original, non-English title
Document type	DTYPE	dtype("journal article")	
First author	FAU	fau("klei, Herbert e")	First name listed in Author field. It is included in Author browse, but its position cannot be specified in the Author browse. See also Author.
First available	FAV	fav(20140312) fav(>20121231) fav(20120101-20120630)	Indicates the first time a document was loaded in a specific database on PQD. It will not change regardless of how many times the record is subsequently reloaded, as long as the accession number does not change.
From database ³	FDB	ti(ligand?) AND fdb(materialsresearchprof) ti(ligand?) AND fdb(10000201)	Useful in multi-file searches to isolate records from a single file. FDB cannot be searched on its own; specify at least one search term then AND it with FDB.
Identifier (keyword)	IF	if(irrigation OR drainage)	
ISBN	ISBN	isbn(9780877035527)	
ISSN	ISSN	issn(1399-0047) issn(13990047)	Also retrieves electronic ISSNs.
Issue	ISS	iss(1)	Also searchable via the Look Up Citation tool.
Journal title	JN, PUB	jn(" acta crystallographica section d ")	Journal names only. For complete Publication name types, use PUB. Displays in Publication title. Also searchable via the Look Up Citation tool for Publication name.
Language	LA	la(english)	The language in which the document was originally published.
Notes	NT	nt(reprint*)	
Number of pages	PCT	pct(10)	
Pagination	PG	pg(134-143)	See also Start page.
Patent application date	PAD	pad(20040501) pad(2004-05-01) pad(>20101231) pad(20110101-20110630)	Displays in Patent information
Patent application number	PA, PAT	pa("10/840183")	Displays in Patent information
Patent assignee	AP, PAT	ap(tata)	Displays in Patent information
Patent publication country	PC, PAT	pc(us)	Displays in Patent information
Patent publication number	PN, PAT	pn(us7249222)	Patent publication number
Publication title ²	PUB	pub("acta crystallographica")	Title of publication where document originally appeared. Also searchable via the Look Up Citation tool.
Publication type	PT, STYPE	pt("scholarly journals")	
Publication year	YR, PY	yr(2015) yr(>2011) yr(2013-2014)	Single year or a range of years may be searched. Displays in Publication date.
Publisher	PB	pb("wiley blackwell")	
References	RF	rf(Krause AND "climate protection")	
Source type	PT, STYPE	stype("conference papers & proceedings")	Searches references cited in the original document. Also searchable on the Look Up Citation page.
Start page	PAGE	page(134)	Displays in Pagination.
Subfile	SFL	sfl(metadex)	The individual database(s) in which the record appears.

³ Click the "Field codes" hyperlink at the top right of the Advanced Search page. Click "Search syntax and field codes", then click on "FDB command" to get a list of database names and codes that can be searched with FDB.

Field Name ¹	Field Code	Example	Description and Notes
			Also searchable using two-letter codes.
Subject	SU	su(algorithms)	
Updates	UD	ud(>20121231) ud(20130101-20130630)	The date(s) the record was loaded as a result of an update provided by the supplier.
Volume	VO	vo(70)	

Search tools

Field codes are used to search document fields, as shown in the sample document. Field codes may be used in searches entered on the **Basic Search**, **Advanced Search**, and **Command Line** search pages. **Limit options**, **Look up lists**, and **“Narrow results by” filters** tools are available for searching. Some data can be searched using more than one tool.

Limit options

Limit options are quick and easy ways of searching certain common concepts. Check boxes are available for:

Peer reviewed

Short lists of choices are available for:

Source type, Document type and Language

Date limiters are available in which you can select single dates or ranges for date of **publication** and **updated**.

Lookup lists

You can browse the contents of certain fields by using Look Up lists in the fields drop-down for:

Author, Classification, Publication title, Subject

“Narrow Results By” filters

When results of a search are presented, the results display is accompanied by a list of “Narrow results by” options shown on the right-hand panel. Click on any of these options and you will see a ranked list showing the most frequently occurring terms in your results. Click on the term to apply it to (“narrow”) your search results. Narrow results by filters in this database include:

Peer reviewed, Source type, Publication title, Document type, Author, Subject, Classification, Language, Database, Publication date.

Look up citation

If you need to trace a particular bibliographic reference, use the Look Up Citation feature. Find a link to this toward the top left of the Advanced Search page, or in the drop list under Advanced on any search form; click this and you will go to a page where you can enter any known details of the citation, including: Document title, Author, Publication title, ISSN, ISBN, Volume, Issue, Page, Publication date, DOI.

Document formats

Document Format	Fields	Online	Export / Download
Brief view	Title and Publication date.	✓	
Detailed view	Same as Brief view plus a 3-line KWIC window.	✓	
KWIC (Keyword in Context)	Detailed view plus all occurrences of your search terms, highlighted within the fields where the terms occur.	✓	✓
Preview	Title, Author, Publication title, Publisher, Volume, Issue, Pagination, Publication date, Abstract, Subject.	✓	
Brief citation	Bibliographic record minus Abstract and Indexing	✓	✓
Citation	Bibliographic record plus Indexing.	✓ ⁴	✓
Citation / Abstract	Complete bibliographic record	✓ ⁴	✓
Custom	Choose the fields you want.		✓ ⁵

Terms & Conditions

[Dialog Standard Terms & Conditions](#) apply.

Contact: **ProQuest Dialog Global Customer Support**

Email: Customer@dialog.com

Within North America **1 800 334 2564**

Outside North America **00 800 33 34 2564**

⁴ In Online-view mode, PQD gives access to two Document Formats only: *Brief citation*, and the 'most complete' format available. Depending on the database, or the amount of data available for a record, the most complete format may be any one of *Citation*, *Citation/Abstract*, *Full text*, or *Full text – PDF*.

⁵ Custom export/download format is available in the following mediums only: HTML, PDF, RefWorks, RTF, Text only.