

Journal Citation Reports (JCR)

Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version:

Journal Citation Reports (JCR)

Report Date:

April 2026

Product Description:

Journal Citation Reports is a trusted, independent source of journal intelligence that has provided the research community with objective, publisher-neutral insights for nearly 50 years. It offers transparent analysis by clearly revealing the relationship between article-level and journal-level citations, with direct links to the Web of Science Core Collection. Journals are evaluated responsibly using multiple indicators, including the Journal Impact Factor (JIF), alongside descriptive open access statistics and contributor information, enabling informed and unbiased assessment of scholarly publications. More information can be found here: [Journal Citation Reports | Clarivate](#)

Contact Information:

Reports can be reached at: wosg.support@clarivate.com

Notes:

The purpose of the Product Conformance Report is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial “Electronic and Information Technology” products and services with features that support accessibility. Both automated and manual audits of the site were conducted.

Clarivate remains dedicated to developing products that are usable for everyone, including those with physical challenges and disabilities. Our products are designed to adhere to the United States Government Section 508 accessibility standards.

Evaluation Methods Used:

- Color Contrast Analyzers provided by WebAIM and TPGI
- Deque axe accessibility testing tools
- High Contrast Chrome extension
- Keyboard-access manual testing and assessment
- WAVE (Web Accessibility Evaluation tool) provided by WebAIM
- ANDI (Accessible Name & Description Inspector) tool
- Chrome Developer Tools
- HeadingsMap
- Screen readers such as JAWS, NVDA, and VoiceOver

Scope

This Conformance Report is based upon an evaluation of specific components and is not necessarily exhaustive of all issues.

The following pages were reviewed and represent the main templates and workflows used throughout the website: JCR homepage, Journal profile page, Journals, Categories, List of individual categories, Publishers, and Countries/Regions. The evaluation of each web page included the common elements (Header, Footer, and Search) as well as the main content.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The Journal Citation Reports is designed to support alternative access to non-text content wherever possible.</p> <p>JCR provides alt and title text for most non-text images; e.g. icons and home page pictograms/illustrations.</p> <p>Controls: Text labels identify all form fields. Label / ids and other accessible code necessary for screen readers are associated with all form elements.</p> <p>Compliance of this standard was validated using screen readers (listed above in the ‘Evaluation methods used’).</p> <p>Note: Data visualizations may not preserve information and relationships for all assistive technologies.</p> <p>The third-party vendor Pendo currently offers accessibility fields for guides, walk-throughs, tooltips, and banners.</p>

Criteria	Conformance Level	Remarks and Explanations
		Available Pendo fields for Auto-focus, ARIA labels, Alt Text, Titles, and ARIA roles are mostly populated.
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	<p>Prerecorded audio-only and Video-only files are not present.</p> <p>Note: Help files include links to instructional videos on the Clarivate marketing website, which are not considered part of the JCR product.</p>
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	<p>Prerecorded videos are not present, so audio description is not required.</p> <p>Note: Help files include links to instructional videos on the Clarivate marketing website, which are not considered part of the JCR product.</p>
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p>	Not Applicable	Prerecorded audio-only files are not present.

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Text elements visually styled as headings are not coded with semantic heading tags • Content that is visually presented as a list is not marked up as a list • Auto-suggestions in search field are not announced. • The data table structure is not fully programmatically conveyed. Although screen readers detect the table, focus is not correctly placed into the first table cell (e.g., "Rank by Journal Impact Factor..."). • Some elements use ARIA roles that require specific parent roles, but these required relationships are missing. • In the Customize Modal, checkboxes are not programmatically associated with their visible

Criteria	Conformance Level	Remarks and Explanations
		<p>labels, Additionally, visually grouped checkbox sections are not programmatically grouped using semantic structures (such as fieldsets and legends).</p> <ul style="list-style-type: none"> • Visible text labels such as "Name your indicators" and "Custom indicators" are not programmatically associated with their corresponding input fields. • While navigating the table, screen readers repeatedly announce a misleading label ("Sorted by region"). • Sorting state is not programmatically conveyed when users activate column sorting.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>In most cases, the sequence of content does not matter, but when it does it can be read sequentially. Some elements within page sections are read in a sequence that makes understanding more difficult.</p> <p>Compliance of this standard was validated by automated web accessibility evaluation tools and manual checks.</p>
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) 	Supports	<p>Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Focus indication relies solely on color, and contrast between focused state and non-focus state background color on several components.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Not Applicable	<p>The tested application does not contain audio content that plays automatically for more than 3 seconds.</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and access keys are present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on. The following exceptions exist: <ul style="list-style-type: none"> • Several actionable elements are not keyboard accessible throughout the web application. • Tooltip content not accessible via keyboard in some Data Visualization tooltip
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Supports	Keyboard focus is never locked or trapped in a particular area, and the user can navigate to and from all navigable elements using only a keyboard. Compliance of this standard was validated using manual keyboard checks.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	No shortcuts triggered using only letter (including upper and lower-case letters), punctuation, number, or symbol characters.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	20 Hour Exception: The time limit is longer than 20 hours.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 	Not Applicable	The application does not contain any flashing elements, ensuring it does not trigger seizures or physical reactions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	The application does not contain any flashing elements, ensuring it does not trigger seizures or physical reactions.
<p>2.4.1 Bypass Blocks (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) 	Supports	The first element on every page is a “Skip to main content” link which allows users to skip all repetitive navigation. Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<u>2.4.2 Page Titled</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Pages have descriptive and informative titles.
<u>2.4.3 Focus Order</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508	Partially Supports	The navigation order of interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability for most of the user interface component. The following exceptions exist: <ul style="list-style-type: none"> • Page elements and functionality are placed in an order that follows the sequences and relationships in the content. On the Journal profile page, the page follows interactive links, which is different from the presentation order, allowing keyboard users to get to their journal profile page more quickly.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The purpose of the link(s) can be determined from the link text alone or from the link text for most of the user component and its programmatic context.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Links opening in new windows lack cues (e.g., "opens in a new window") • Multiple links/button with identical text lead to different destinations without clear context
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	All functionalities that can be operated with a pointer can be operated with single-point actions.
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Pointer-based functionality meets all requirements: no actions are triggered on down-events, actions complete on up-events with cancellation or undo options, up-events

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply		reverse down-events where applicable, and down-event activation is used only when essential.
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	For each user interface component that includes a visible text label, the accessible name matches (or includes) the visible text in the label.
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	For each user interface component that includes a visible text label, the accessible name matches (or includes) the visible text in the label.

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The language of each page is correct and can be determined programmatically.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>Note: There are a few form controls on results pages, such as the Sort by and Items per page dropdowns, that automatically reload the page when the selection is changed. Screen reader users are advised of this when these elements receive focus.</p>
<p>3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	JCR provides a Resources & updates Center (located on the lower righthand side of the screen) using the third-party tool Pendo. To access this resource center, users must first consent to using cookies on their devices.
<p>3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>For most of the form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Some form field validation error messages are not able to be read by screen readers.
<p>3.3.2 Labels or Instructions (Level A) Also applies to:</p>	Partially Supports	For most of the form controls/input fields requiring user input, labels, instructions, and/or error messages are

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		provided to identify the controls/input fields in the form so that users know what input data is expected. The following exceptions exist: <ul style="list-style-type: none"> • Some labels of elements are not persistent (always visible on the page), so each element's purpose may be difficult to discover.
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The application does not require users to re-enter previously provided information within the same session.
4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata .

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>The name, role, state, and value of most user interface components can be programmatically determined.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Role is not conveyed to screen readers for a number of controls • Several Button (e.g., "Export" button under Additional metrics) Missing Accessible names. Screen reader announces it generically as "blank". • The expanded/collapsed state of button is not conveyed to screen readers (e.g., "Filter" button). • Several navigational elements are visually presented as links but are programmatically exposed as buttons using div elements with role="button". • Some interactive chart data points are announced as blank by screen readers instead of providing a meaningful name, label, or value, preventing users from understanding the data they are interacting with. • Not all ARIA buttons, links, and menu items have accessible names. • Interactive controls are nested within other interactive elements, which can cause assistive technologies to skip controls, announce them inconsistently, or create focus and operability issues. • Certain table cells are programmatically exposed with role="link" even though the content is plain text and not interactive. • In multiple cases, ARIA attributes are applied to elements whose roles do not support those attributes.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Some form controls are missing properly associated labels.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Live multimedia files with audio are not present, so synchronized captions are not required.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Not Applicable	Prerecorded multimedia files are not present, so audio descriptions are not required.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	JCR is best experienced on a desktop device, with some core functionalities available in mobile.
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The purpose of all input fields that collect an individual's personal data are programmatically defined based on the WCAG list of Input Purposes for User Interface Components.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.3 (Web) 	Partially Supports	Most of the default content meets minimum contrast requirements. The following exceptions exist:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • A number of content does not have contrast between foreground and background colors that meets WCAG 2 AA minimum contrast ratio thresholds. <p>Note: CSS style sheets can be switched off or overridden by user preferences.</p>
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Content is readable and functional when browser zoom is set to 200% of its initial size.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply 	Supports	When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	<p>The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • When the page is zoomed to 400%, horizontal scrolling is required to view all content. • At 400% zoom, some content becomes truncated, hidden, or visually overlapped, resulting in loss of information and reduced usability. <p>Note: JCR is best experienced on a desktop device and supports core functionalities down to the width of 600 pixels.</p>
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	<p>Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Focus outline does not have a 3:1 color contrast ratio with the background colors for a number of controls. • Some Graphical Objects (e.g., Data Visualization Slider, checkbox border in Journals, sort buttons in

Criteria	Conformance Level	Remarks and Explanations
		table,) does not have a 3:1 color contrast ratio with the background colors
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality for most of the content.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Applying recommended text spacing values causes, portions of the content overlap, become truncated, misaligned, or partially hidden, resulting in loss of readability and information compared to the default layout (e.g., Categories page).
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>When additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it.</p> <p>Note: Certain journal profile graphs from AM Charts may not support the accessibility issue relating to the content on hover or focus messages currently.</p>
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply 	Supports	Multiple ways are available to find other pages on the site.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Headings and labels for form and interactive controls are informative for most of the elements Note: For instance, on pages that display tables, the page title conveys the [table – head]. The table title is the main heading.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Partially Supports	It is visually apparent which page element is currently receiving keyboard focus on most of the page. The following exceptions exist: <ul style="list-style-type: none"> • Multiple interactive elements have no visible focus indicator (e.g., Open In-App Guide button, and Any button that appears after opening (Open In-App Guide button))

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	User interface components receive keyboard focus, each component is not entirely hidden due to author-created content.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially Supports	Certain journal profile graphs from AM Charts does not support the accessibility issue relating to dragging movements.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Interactive elements meet the minimum target size.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	The majority of JCR reads the appropriate language, with the exception of some language specific journal titles. Also, JCR does support external language browser plugins, settings, and operation systems.
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.3 (Web) 	Supports	Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) 	Supports	If input errors are automatically detected, suggestions are provided in text for correcting the input

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	This criterion is not applicable because users do not enter personal, financial, legal, or other sensitive data into the application.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria	Partially Supports	In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exist:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply		<ul style="list-style-type: none"> • When a user adds an item to Favorites, the visual confirmation message is not programmatically announced to screen readers. • When selecting a checkbox causes an action bar to appear with new options (such as selected item count, deselect, add to favorites, and compare), screen readers are not notified that this new interactive region has become available.

Table 3: Success Criteria, Level AAA

Notes: The product was not assessed for WCAG 2.2 AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.3, 1.4.11, 2.4.7, 3.1.2, and 4.1.3
302.2 With Limited Vision	Partially Supports	Most functionality is usable with Limited Vision. Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.3, 1.4.10, 1.4.11, 1.4.12, and 3.1.2
302.3 Without Perception of Color	Partially Supports	Most functionality is usable without Perception of Color. Exceptions are noted in: WCAG 1.4.1, 3.3.1, 1.4.3, and 1.4.11
302.4 Without Hearing	Partially Supports	Most functionality is usable without Hearing. Exceptions are noted in: WCAG 3.1.2
302.5 With Limited Hearing	Partially Supports	Most functionality is usable with Limited Hearing. Exceptions are noted in: WCAG 3.3.1
302.6 Without Speech	Supports	No WCAG 2.0 criteria apply
302.7 With Limited Manipulation	Partially Supports	Most functionality is usable with Limited Manipulation. Exceptions are noted in: WCAG 2.1.1, 2.4.3, 2.4.4, 4.1.2, 1.3.4, 2.4.7, and 2.5.7
302.8 With Limited Reach and Strength	Supports	No WCAG 2.0 criteria apply
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Most functionality is usable with Limited Language, Cognitive, and Learning Abilities.

Criteria	Conformance Level	Remarks and Explanations
		Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.10, 1.4.12, 2.4.7, 3.1.2, and 4.1.3

Chapter 4: [Hardware](#)

Notes: not applicable. The criteria in this chapter are not relevant to the product.

Chapter 5: [Software](#)

Notes: Product does not contain non-Web software. See [WCAG 2.x](#) section for WCAG 2.0 Level A and AA success criteria conformance details for Web applications.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	The application was designed to work with assistive technology, with limitations provided in above WCAG 2.x section.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Support documentation is available via electronic means through the Help link in the product. If alternate formats of product support documentation are required, we will do our best to accommodate the requested format, at no additional cost. These formats may include ASCII text, large print, and accessible electronic formats.
603 Support Services	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features	Supports	An Accessibility Statement is provided by the Journal Citation Reports for information on accessibility features and limitations.
603.3 Accommodation of Communication Needs	Supports	Clarivate Support services are available to accommodate the communication needs of users with disabilities. Users can communicate with customer support by phone, email, chat, and contact us through the web form. Staff have experience working with users with disabilities.

EN 301 549 Report

Notes:

Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.3, 1.4.11, 2.4.7, 3.1.2, and 4.1.3
4.2.2 Usage with limited vision	Partially Supports	Most functionality is usable with Limited Vision. Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.3, 1.4.10, 1.4.11, 1.4.12, and 3.1.2
4.2.3 Usage without perception of colour	Partially Supports	Most functionality is usable without Perception of Colour. Exceptions are noted in: WCAG 1.4.1, 3.3.1, 1.4.3, and 1.4.11
4.2.4 Usage without hearing	Partially Supports	Most functionality is usable without Hearing. Exceptions are noted in: WCAG 3.1.2
4.2.5 Usage with limited hearing	Partially Supports	Most functionality is usable with Limited Hearing. Exceptions are noted in: WCAG 3.3.1
4.2.6 Usage with no or limited vocal capability	Supports	Our platforms do not require user to generate vocal input.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Most functionality is usable with Limited Manipulation or Strength. Exceptions are noted in: WCAG 2.1.1, 2.4.3, 2.4.4, 4.1.2, 1.3.4, 2.4.7, and 2.5.7
4.2.8 Usage with limited reach	Supports	No WCAG 2.0 criteria apply

Criteria	Conformance Level	Remarks and Explanations
4.2.9 Minimize photosensitive seizure triggers	Supports	Our platforms do not include flashing content.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Most functionality is usable with Limited Language, Cognitive, and Learning Abilities. Exceptions are noted in: WCAG 1.3.1, 1.4.1, 2.1.1, 2.4.3, 2.4.4, 3.3.1, 4.1.2, 1.4.10, 1.4.12, 2.4.7, 3.1.2, and 4.1.3
4.2.11 Privacy	Supports	Privacy settings are made available to users in an accessible way.

Chapter [5: Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

[Chapter 6: ICT with Two-Way Voice Communication](#)

Notes: Not applicable. The criteria in this chapter are not relevant to the product.

[Chapter 7: ICT with Video Capabilities](#)

Notes: Not applicable. The criteria in this chapter are not relevant to the product.

[Chapter 8: Hardware](#)

Notes: Not applicable. The criteria in this chapter are not relevant to the product.

[Chapter 9: Web](#) (see [WCAG 2.x section](#))

Notes:

[Chapter 10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

[Chapter 11: Software](#)

Notes: Not applicable. The criteria in this chapter are not relevant to the product.

[Chapter 12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	The application was designed to work with assistive technology, with limitations provided in above WCAG 2.x section.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	An Accessibility Statement is provided by Journal Citation Reports for information on accessibility features and limitations
12.2.3 Effective communication	Supports	Clarivate Support services are available to accommodate communication needs of users with disabilities. Users can communicate with customer support by phone, email, chat, and contact us web form. Staff have experience working with users with disabilities.
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Legal Disclaimer (Clarivate)

This Accessibility Conformance Report represents the specific release of the product described, as of the date of this document. Notwithstanding the information contained in the Accessibility Conformance Report, if use of the product is subject to a license agreement, the terms and conditions of the product’s license agreement remain in full force and effect, including any limitation of liability and disclaimer of warranties provisions.