Clarivate – Sierra Desktop App Accessibility Conformance Report

(Based on VPAT® Version 2.4)

Name of Product/Version:

Sierra - Desktop App version 6.0

Report Date:

05/01/2023

Product Description:

The Sierra Library Services Platform provides a powerful, modern foundation upon which to build the future of your library by combining complete functionality with the power and scale of an open services platform. Sierra offers trusted business logic and flexible workflow support through a unified staff application for circulation, cataloguing, acquisitions, patron management, serials handling, and accounting management. Sierra uses a PostgreSQL database, supports all relevant interoperability standards and includes APIs, offering the flexibility libraries need to interface with external systems and to customize service offerings and meet evolving needs. Sierra is offered as a cloud-hosted SaaS solution.

Contact Information:

Mike Dicus, Manager, Product Management (Sierra)

Mike.Dicus@clarivate.com

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Notes:

This report was created by Deque Systems, Inc. upon completion of an accessibility evaluation performed during April 2023.

The report is considered accurate at the time of publishing.

Remediation is on-going.

Detailed Scope:

The scope of this VPAT is restricted to Specific screens listed in the table below for the following installed Sierra Desktop Application:

ld#	Screens/Pages/Components
1	Login
2	Checkout/Circulation Desk
3	Search Function
4	Popups (printer/message)
5	Edit Patron Record
6	Browse- Add Hold
7	Record Screen (from hold)
8	Place-Hold Popup
9	Date Picker
10	Payment Popup
11	Graphical Browse
12	Compact Browse (modal)

Evaluation Methods Used:

A manual testing technique was employed for the accessibility assessment.

Manual assessment was performed using Chrome/NVDA on Windows 10 and extensive use of keyboard.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.1 Level AAA.

WCAG 2.1 Report

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.1 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
 1.1.1 Non-text Content (Level A) All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below. Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes its purpose. (Refer to Success Criterion 4.1.2 for additional requirements for controls and content that accepts user input.) Time-Based Media: If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. (Refer to Guideline 1.2 for additional requirements for media.) Test: If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content. Sensory: If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content. CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities. 		

Criteria	Conformance Level	Remarks and Explanations
Decoration, Formatting, Invisible: If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology.		
 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content. 	Supports	The application does not contain prerecorded audio-only or video-only media.
1.2.2 Captions (Prerecorded) (Level A) Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports	The application does not contain prerecorded synchronized media.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports	The application does not contain prerecorded video content that would require audio description or a media alternative.
1.3.1 Info and Relationships (Level A) Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Supports	
1.3.2 Meaningful Sequence (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Does not Support	 Majority of the content is not presented in a meaningful sequence. Hidden content is readable with a screen reader in "Edit Patron Record" and "Record Screen (from hold)" screen. Informative (static) content is not

Criteria	Conformance Level	Remarks and Explanations
		readable by a screen reader across several screens in the application.
1.3.3 Sensory Characteristics (Level A) Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound. Note: For requirements related to color, refer to Guideline 1.4.	Supports	
1.4.1 Use of Color (Level A) Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.	Does not support	Majority of the content conveys information through color alone. Color alone is used to convey info across several screens in the application.
1.4.2 Audio Control (Level A) If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level. Note: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Web page (whether or not it is used to meet other success criteria) must meet this success criterion. See Conformance Requirement 5: Non-Interference.	Supports	
2.1.1 Keyboard (Level A) All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and	Does not support	Majority of the functionality is not operable through a keyboard interface. • Function cannot be performed by keyboard alone across several screens

Criteria	Conformance Level	Remarks and Explanations
not just the endpoints. Note 1: This exception relates to the underlying function, not the input technique. For example, if using handwriting to enter text, the input technique (handwriting) requires path-dependent input but the underlying function (text input) does not. Note 2: This does not forbid and should not discourage providing mouse input or other input methods in addition to keyboard operation.		in the application.
2.1.2 No Keyboard Trap (Level A) If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away. Note: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Web page (whether it is used to meet other success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference.		In most of the screens there were no areas where a keyboard user was not able to navigate away or out of an element Exceptions include: • Keyboard trap in "Compact Browse (modal)", "Record Screen (from hold)", "Checkout/Circulation Desk" and "Payment Popup" screens.
 2.1.4 Character Key Shortcuts (Level A 2.1 only) If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to include one or more non-printable keyboard keys (e.g., Ctrl, Alt); Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus. 	Supports	

Criteria	Conformance Level	Remarks and Explanations
	Supports	Romano ana Explanationo
For each time limit that is set by the content, at least one of	Supports	
the following is true:		
Turn off: The user is allowed to turn off the time limit		
before encountering it; or		
Adjust: The user is allowed to adjust the time limit before		
encountering it over a wide range that is at least ten times		
the length of the default setting; or		
• Extend: The user is warned before time expires and given		
at least 20 seconds to extend the time limit with a simple		
action (for example, "press the space bar"), and the user is		
allowed to extend the time limit at least ten times; or		
Real-time Exception: The time limit is a required part of a		
real-time event (for example, an auction), and no		
alternative to the time limit is possible; or		
Essential Exception: The time limit is essential and		
extending it would invalidate the activity; or		
• 20 Hour Exception: The time limit is longer than 20		
hours.		
	Supports	
For moving, blinking, scrolling, or auto-updating information,		
all of the following are true:		
Moving, blinking, scrolling: For any moving, blinking or		
scrolling information that (1) starts automatically, (2) lasts		
more than five seconds, and (3) is presented in parallel		
with other content, there is a mechanism for the user to		
pause, stop, or hide it unless the movement, blinking, or		
scrolling is part of an activity where it is essential; and		
• Auto-updating: For any auto-updating information that (1)		
starts automatically and (2) is presented in parallel with		
other content, there is a mechanism for the user to pause,		
stop, or hide it or to control the frequency of the update		
unless the auto-updating is part of an activity where it is		
essential.		
Note 1: For requirements related to flickering or flashing		

	1	
Criteria	Conformance Level	Remarks and Explanations
content, refer to Guideline 2.3.		
Note 2: Since any content that does not meet this success		
criterion can interfere with a user's ability to use the whole		
page, all content on the Web page (whether it is used to		
meet other success criteria or not) must meet this success		
criterion. See Conformance Requirement 5: Non-		
Interference.		
Note 3: Content that is updated periodically by software or		
that is streamed to the user agent is not required to		
preserve or present information that is generated or		
received between the initiation of the pause and resuming		
presentation, as this may not be technically possible, and		
in many situations could be misleading to do so.		
Note 4: An animation that occurs as part of a preload		
phase or similar situation can be considered essential if		
interaction cannot occur during that phase for all users and		
if not indicating progress could confuse users or cause		
them to think that content was frozen or broken.		
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	
Web pages do not contain anything that flashes more than		
three times in any one second period, or the flash is below the		
general flash and red flash thresholds.		
Note: Since any content that does not meet this success		
criterion can interfere with a user's ability to use the whole		
page, all content on the Web page (whether it is used to		
meet other success criteria or not) must meet this success		
criterion. See Conformance Requirement 5: Non-		
Interference.		
2.4.1 Bypass Blocks (Level A)	Not Applicable	
A mechanism is available to bypass blocks of content that are		
repeated on multiple Web pages.		
2.4.2 Page Titled (Level A)	Supports	
Web pages have titles that describe topic or purpose.		
2.4.3 Focus Order (Level A)	Partially Supports	Most of the screens can be navigated
If a Web page can be navigated sequentially and the		sequentially in an order that preserved the

Criteria	Conformance Level	Remarks and Explanations
navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.		 meaning and operability. Exceptions include: Hidden or empty element receives focus in "Browse- Add Hold", "Edit Patron Record", "Graphical Browse" and "Record Screen (from hold)" screens. Modal is closed, focus is not returned to trigger in "Edit Patron Record" screen.
2.4.4 Link Purpose (In Context) (Level A) The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general. 2.5.1 Pointer Gestures (Level A 2.1 only) All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.	Supports	
 2.5.2 Pointer Cancellation (Level A 2.1 only) For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the upevent, and a mechanism is available to abort the function before completion or to undo the function after completion; Up Reversal: The up-event reverses any outcome of the preceding down-event; Essential: Completing the function on the down-event is essential. 	Supports	
2.5.3 Label in Name (Level A 2.1 only) For user interface components with labels that include text or	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
images of text, the name contains the text that is presented visually.		
 2.5.4 Motion Actuation (Level A 2.1 only) Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when: Supported Interface: The motion is used to operate functionality through an accessibility supported interface; Essential: The motion is essential for the function and doing so would invalidate the activity. 	Supports	
3.1.1 Language of Page (Level A) The default human language of each Web page can be programmatically determined.	Supports	
3.2.1 On Focus (Level A) When any user interface component receives focus, it does not initiate a change of context.	Partially Supports	In most screens, when any user interface component receives focus, it does not initiate a change of context. Exceptions include: • There is a substantial, unannounced context change on focus in "Checkout/Circulation Desk" screen.
3.2.2 On Input (Level A) Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.	Supports	
3.3.1 Error Identification (Level A) If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supports	
3.3.2 Labels or Instructions (Level A) Labels or instructions are provided when content requires	Partially Supports	Most of the form fields have a label or instructions when content requires user input.

Criteria	Conformance Level	Remarks and Explanations
user input. 4.1.1 Parsing (Level A)	Supports	Visible label missing in "Record Screen (from hold)" screen.
In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features. Note: Start and end tags that are missing a critical character in their formation, such as a closing angle bracket or a mismatched attribute value quotation mark are not complete.		
4.1.2 Name, Role, Value (Level A) For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. Note: This success criterion is primarily for Web authors who develop or script their own user interface components. For example, standard HTML controls already meet this success criterion when used according to specification.	Does not Support	 Majority of the user interface components do not provide programmatic name, role, and/or state information. Button does not have a name in "Checkout/Circulation Desk" and "Record Screen (from hold)" screen. Button is missing both a role and a name across several screens in the application. Form field is not labeled in "Browse- Add Hold", "Checkout/Circulation Desk", "Edit Patron Record", "Graphical Browse", "Record Screen (from hold)" and "Search Function" screens. The element's name is missing or incorrect in "Browse- Add Hold", "Graphical Browse", "Place-Hold Popup" and "Search Function" screens. Expand/collapse state of the element is

Criteria	Conformance Level	Remarks and Explanations
		 missing or incorrect in "Browse- Add Hold", "Compact Browse (modal)", "Graphical Browse", "Payment Popup" and "Place-Hold Popup" screens. Table sort state is missing or incorrect in "Checkout/Circulation Desk" screen. The element has missing or incorrect states or properties in "Record Screen (from hold)" screen. Tooltip content is not accessible to screen readers across several screens in the application.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Supports	The application does not contain any live video
Captions are provided for all live audio content in		content with audio.
synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA)	Supports	
Audio description is provided for all prerecorded video content		
in synchronized media.		
1.3.4 Orientation (Level AA 2.1 only)	Supports	
Content does not restrict its view and operation to a single		
display orientation, such as portrait or landscape, unless a		
specific display orientation is essential.		
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Supports	
The purpose of each input field collecting information about		
the user can be programmatically determined when:		
The input field serves a purpose identified in the Input		

Purposes for User Interface Components section; and • The content is implemented using technologies with		
support for identifying the expected meaning for form input data.		
 1.4.3 Contrast (Minimum) (Level AA) The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following: Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1; Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement. Logotypes: Text that is part of a logo or brand name has no contrast requirement. 	Partially Supports	Most of the text meets the minimum contrast requirements. Exceptions include: Placeholder text lacks 4.5:1 contrast ratio in "Checkout/Circulation Desk" screen. Text content lacks 4.5:1 contrast ratio in "Browse- Add Hold", "Compact Browse (modal)", "Graphical Browse" and "Login" screens.
1.4.4 Resize text (Level AA) Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.	Does not support	 Majority of the content is not available on resizing the text up to 200%. Application does not zoom to 200% in several screens across the application.
 1.4.5 Images of Text (Level AA) If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following: Customizable: The image of text can be visually customized to the user's requirements; Essential: A particular presentation of text is essential to the information being conveyed. Note: Logotypes (text that is part of a logo or brand name) are considered essential. 	Supports	
1.4.10 Reflow (Level AA 2.1 only) Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:	Not Applicable	

 Vertical scrolling content at a width equivalent to 320 CSS pixels; Horizontal scrolling content at a height equivalent to 256 CSS pixels; Except for parts of the content which require two-dimensional layout for usage or meaning. 1.4.11 Non-text Contrast (Level AA 2.1 only) The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s): User Interface Components: Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author; Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed. 	Does not Support	 Majority of the non-textual informative content does not meet the minimum contrast ratio requirements. Active user interface component lacks 3 to 1 contrast ratio in "Checkout/Circulation Desk", "Login", "Payment Popup" and "Place-Hold Popup" screens. An icon lacks 3 to 1 contrast ratio across several screens in the application. State of active component lacks 3 to 1 contrast ratio across several screens in the application. .
 1.4.12 Text Spacing (Level AA 2.1 only) In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size. 		

Exception: Human languages and scripts that do not make		
use of one or more of these text style properties in written text		
can conform using only the properties that exist for that		
combination of language and script.		
1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Supports	
Where receiving and then removing pointer hover or keyboard		
focus triggers additional content to become visible and then		
hidden, the following are true:		
Dismissible: A mechanism is available to dismiss the		
additional content without moving pointer hover or		
keyboard focus, unless the additional content		
communicates an input error or does not obscure or		
replace other content;		
Hoverable: If pointer hover can trigger the additional		
content, then the pointer can be moved over the additional		
content without the additional content disappearing;		
Persistent: The additional content remains visible until the		
hover or focus trigger is removed, the user dismisses it, or		
its information is no longer valid.		
Exception: The visual presentation of the additional content is		
controlled by the user agent and is not modified by the author.	Not Applicable	
2.4.5 Multiple Ways (Level AA) More than one way is available to locate a Web page within a	Not Applicable	
set of Web pages except where the Web Page is the result of,		
or a step in, a process.		
2.4.6 Headings and Labels (Level AA)	Partially Supports	Most headings and labels are descriptive.
Headings and labels describe topic or purpose.	l artially Supports	iviosi ricadings and labels are descriptive.
ricadings and labels describe topic of purpose.		Exceptions include:
		Programmatic label does not convey
		purpose of control in "Browse- Add
		Hold", "Graphical Browse", "Date Picker"
		and "Search Function" screens.
2.4.7 Focus Visible (Level AA)	Partially Supports	Most of the keyboard operable user interfaces
Any keyboard operable user interface has a mode of		have a visible keyboard focus indicator.
operation where the keyboard focus indicator is visible.		,
,	1	I

		Exceptions include:
		Focus indicator is missing in "Browse-Add Hold", "Checkout/Circulation Desk", "Edit Patron Record", "Graphical Browse", "Record Screen (from hold)" and "Search Function" screens.
3.1.2 Language of Parts (Level AA) The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.	Supports	
3.2.3 Consistent Navigation (Level AA) Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Not Applicable	
3.2.4 Consistent Identification (Level AA) Components that have the same functionality within a set of Web pages are identified consistently.	Not Applicable	
3.3.3 Error Suggestion (Level AA) If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.	Supports	
 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: Reversible: Submissions are reversible. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. 	Supports	

 Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission. 		
4.1.3 Status Messages (Level AA 2.1 only) In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.	Not Applicable	

Table 3: Success Criteria, Level AAA

Notes: Level AAA success criteria are not within the scope of this conformance evaluation.

Legal Disclaimer (Clarivate)

This Accessibility Conformance Report represents the specific release of the product described, as of the date of this document. Notwithstanding the information contained in the Accessibility Conformance Report, if use of the product is subject to a license agreement, the terms and conditions of the product's license agreement remain in full force and effect, including any limitation of liability and disclaimer of warranties provisions.