



Clarivate Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: Vega

Report Date: 12/13/24

Product Description:

Vega Discover

Contact Information:

Kat Cuff, Director, Vega Product Management

Kathryn.Cuff@clarivate.com

Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between 4/25/24 and 12/12/24.

Remediation on-going

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment. Manual assessment was performed using Chrome v.124.0 on Windows 11 Pro and included exclusive use of the keyboard. Automated tools used included axe Auditor and the axe DevTools browser extension. Assistive technologies employed included NVDA v.2023.3.3

Scope of Evaluation

The pages in the following table were evaluated as part of the assessment on which this report is based.

Page Title	URL
Edition Bib Details Expander	https://vpat-library.experience.iiivega.com/search/card?id=7babbb35-a761-5146-b3aa-41f699195b7e&entityType=FormatGroup
Format Group Material Page	https://vpat-library.experience.iiivega.com/search/card?id=7babbb35-a761-5146-b3aa-41f699195b7e&entityType=FormatGroup
Home Page	https://vpat-library.experience.iiivega.com/
Refine results	https://vpat-library.experience.iiivega.com/search?query=Cats&searchType=everything&pageSize=10&viewType=grid
Search Results Page Grid View	https://vpat-library.experience.iiivega.com/search?query=Cats&searchType=everything&pageSize=10&viewType=grid
Search Results Page List View	https://vpat-library.experience.iiivega.com/search?query=Cats&searchType=everything&pageSize=10
Showcase View All Page	https://vpat-library.experience.iiivega.com/library-list/showcase/1164d16c-d6b8-429e-a466-e523606d6a05
Agent Author Info Page	https://vpat-library.experience.iiivega.com/search/card?id=e11e1ed0-11df-11ed-a32a-2b6c1537853d&entityType=Agent
Concept Info Page	https://vpat-library.experience.iiivega.com/search/card?id=e11a9c51-11df-11ed-a32a-a5fc86abf769&entityType=Concept

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Header
- Footer
- Announcement
- Location Drawer Locations List
- Bookshelf
- Hold Popups
- Patron Info Popups
- Library Hours Popups
- Refine Results
- Edition Bib Details Expander
- Facets View All Popups
- Syndetics Stuff Popups
- Edition Item Details Popups
- Location Drawer Item List Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Web: Partially Supports	Web: Most non-text content has text alternatives or a text alternate that serves an equivalent purpose. The following exceptions exist: <ul style="list-style-type: none">• An image does not have a text alternative that contains essential text from the visual image, so people who are blind and/or use a screen reader will not understand the information available in the image. This occurs on the following component: Header.• An image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to access the information available in the image and if it is an active image, will not understand its function. This occurs on the following page: Search Results Page List View.• An image has a text alternative that is different than what the image

		represents, so people who are blind and/or use a screen reader will be given different information than sighted users. This occurs on the following component: Syndetics Stuff Popups.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Not Applicable	Web: Prerecorded audio-only files are not present.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Not Applicable	Web: Prerecorded videos are not present.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Not Applicable	Web: Prerecorded videos are not present, so audio description is not required.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Partially Supports	Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist: <ul style="list-style-type: none"> ● A heading level is out of order, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This

		occurs on the following page: Home Page.
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: The reading and navigation order is logical and intuitive.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.
<u>1.4.1 Use of Color</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements.
<u>1.4.2 Audio Control</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.
<u>2.1.1 Keyboard</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Partially Supports	Web: On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen

		<p>reader is turned on. The following exceptions exist:</p> <ul style="list-style-type: none"> • A function cannot be performed using only the keyboard, so people who use the keyboard alone to navigate and operate content cannot use this function. This occurs on the following page: Format Group Material Page.
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Moving, blinking, scrolling, or auto-updating information can be paused, stopped, hidden, or otherwise controlled by the user.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p>	Web: Not Applicable	Web: The tested application does not contain flashing content.

<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated across web pages.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Pages have descriptive and informative titles.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The navigation order of interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality that can be operated with a pointer can be operated with single-point actions.
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: For functionality that can be operated using a single pointer, at least one of the following is true:

		<ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.
2.5.3 Label in Name (Level A 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Partially Supports	Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exceptions exist: <ul style="list-style-type: none"> • The accessible name of an interactive element (such as a link, button, or form input) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following component: Header.
2.5.4 Motion Actuation (Level A 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.
3.1.1 Language of Page (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The language of each page is correct and can be determined programmatically.
3.2.1 On Focus (Level A) Also applies to: Revised Section 508	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a

<ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		change in focus) that may disorient the user does not occur.
<u>3.2.2 On Input</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
<u>3.2.6 Consistent Help</u> (Level A 2.2 only) Revised Section 508 – Does not apply	Web: Supports	Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.
<u>3.3.1 Error Identification</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
<u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Partially Supports	Web: For most form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. The following exceptions exist: <ul style="list-style-type: none"> ● The label for a form field is missing, so the field's purpose is not clear. This occurs on the following component: Header.
<u>3.3.7 Redundant Entry</u> (Level A 2.2 only) Revised Section 508 – Does not apply	Web: Supports	Web: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered

		information is no longer valid or re-entering the information is essential or required to ensure security.
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 – Always answer “Supports”</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . This criterion was removed from WCAG 2.2.
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: The name, role, state, and value of each user interface components can be programmatically determined.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.4 Captions (Live)</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	Web: Live multimedia files with audio are not present, so synchronized captions are not required.
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	Web: Prerecorded multimedia files are not present, so audio descriptions are not required.
<u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Supports	Web: Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Supports	Web: The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.
<u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exceptions exist: <ul style="list-style-type: none"> • The color contrast ratio on hover or focus between a control's text label and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text label of the control. This occurs on the following page: Search Results Page List View.

		<ul style="list-style-type: none"> The color contrast ratio between text and its background is less than 4.5:1 (or less than 3:1 for large text), so people who are colorblind or have low vision may have difficulty reading the text. This occurs on the following page: Format Group Material Page.
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: Content is readable and functional when browser zoom is set to 200% of its initial size.
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: On most pages, when content can be presented visually using only text, an image of text is not used to present that text. The following exceptions exist:</p> <ul style="list-style-type: none"> Text on the page is text embedded in an image instead of actual text. An image of text is difficult to zoom or otherwise modify, so people who have low vision and need to enlarge text to read it may not be able to read the text. People with other disabilities that need to otherwise modify text to read it also may not be able to read this text. This occurs on the following page: Home Page.
<p><u>1.4.10 Reflow</u> (Level AA 2.1 and 2.2)</p> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the

		viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following component: Location Drawer Item List.
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Partially Supports	Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exceptions exist: <ul style="list-style-type: none"> The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the following component: Edition Bib Details Expander.
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Supports	Web: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Supports	Web: When additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it.
2.4.5 Multiple Ways (Level AA) Also applies to: Revised Section 508	Web: Supports	Web: Multiple ways are available to find other pages on the site.

<ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Headings and labels for form and interactive controls are informative.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: It is visually apparent which page element is currently receiving keyboard focus.
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only)</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The size of the target for each clickable control is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is in line with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.

<u>3.1.2 Language of Parts</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
<u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) Revised Section 508 – Does not apply	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication

		process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Revised Section 508 – Does not apply	Web: Partially Supports	Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exist: <ul style="list-style-type: none"> • A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following page: Search Results Page List View.

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. Vega was not assessed for WCAG 2.2 AAA conformance

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Web: Partially Supports	Web: Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 2.1.1 Keyboard
302.2 With Limited Vision	Web: Partially Supports	Web: Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.3 Contrast (minimum)• 1.4.5 Images of Text• 2.1.1 Keyboard• 3.3.2 Labels or Instructions
302.3 Without Perception of Color	Web: Partially Supports	Web: Most functionality is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none">• 1.4.3 Contrast (minimum)
302.4 Without Hearing	Web: Partially Supports	Web: Most functionality is usable without hearing. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content

302.5 With Limited Hearing	Web: Partially Supports	Web: Most functionality is usable with limited hearing. Exceptions are noted in: <ul style="list-style-type: none"> ● 1.1.1 Non-Text Content
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Partially Supports	Web: Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: <ul style="list-style-type: none"> ● 2.1.1 Keyboard
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Partially Supports	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> ● 1.1.1 Non-Text Content ● 1.3.1 Info and Relationships ● 1.4.5 Images of Text ● 2.1.1 Keyboard ● 3.3.2 Labels or Instructions

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features		
502.2.2 No Disruption of Accessibility Features		
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Supports	Web: The role, state(s), properties, boundary, name, and description of each object is programmatically determinable, so those attributes can be perceived and conveyed by assistive technology.
502.3.2 Modification of Object Information	Web: Supports	Web: When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.3 Row, Column, and Headers	Web: Supports	Web: When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.
502.3.4 Values	Web: Supports	Web: When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.
502.3.5 Modification of Values	Web: Supports	Web: When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.6 Label Relationships	Web: Supports	Web: When a page contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.
502.3.7 Hierarchical Relationships	Web: Supports	Web: When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology. <ul style="list-style-type: none"> 1.3.1.e Headings
502.3.8 Text		
502.3.9 Modification of Text		
502.3.10 List of Actions		
502.3.11 Actions on Objects	Web: Partially Supports	Web: For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology. Exceptions include: <ul style="list-style-type: none"> 2.1.1.a Keyboard Navigation
502.3.12 Focus Cursor		
502.3.13 Modification of Focus Cursor		

Criteria	Conformance Level	Remarks and Explanations
502.3.14 Event Notification	Web: Partially Supports	Web: In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> 4.1.3.a Status Messages
502.4 Platform Accessibility Features		
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences		
503.3 Alternative User Interfaces		
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls		
503.4.2 Audio Description Controls		
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.2 section	See information in WCAG 2.2 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion		
504.2.2 PDF Export		
504.3 Prompts		
504.4 Templates		

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		
602.3 Electronic Support Documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation		
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		
603.3 Accommodation of Communication Needs		

Legal Disclaimer (Company)

Include your company legal disclaimer here, if needed