

Poland (PL) Coverage

Patent Office Details

Urząd Patentowy Rzeczypospolitej Polskiej
Al.Niepodległości 188/192
00-950 Warsaw
Poland

Web: <https://uprp.gov.pl/pl>

Kinds of Protection

Patents of Invention	Granted for a term of 20 years from submission date
Utility Models	Granted for a term of 10 years from date of filing of application
Industrial Designs and Models	May be registered

Convention & Treaty Membership

Patent Cooperation Treaty	25.12.1990
European Patent Convention	01.03.2004
Signatory of:	Paris Convention (Stockholm wording) Budapest Treaty World Intellectual Property Organization International Convention for the Protection of New Varieties of Plants

Filing for Patents

Patents are granted for any invention that is new, involves an inventive step and has industrial application. A utility model is to be new and useful and to relate to the shape, construction, or arrangement of an object that has a durable form. Any new and useful solution of a technical nature affecting the shape, construction or assembly of an object can be registered as a utility model. Utility models protect a product's shape and construction and last for 10 years from the date of registration.

Applications may be made, in Polish by the inventor or his successor. If the application is filed in a language other than Polish, the applicant has to submit a Polish translation to the Patent Office within x months from the date of filing.

Under the *Patent Cooperation Treaty*, international patents designating Poland have the effect in Poland of national applications, provided that the necessary documentation is filed with the Polish Patent Office within 30 months of the international filing date.

For an EP granted patent to be validated in Poland, a translation in Polish must be provided to the Polish Patent Office within three months of publication in European Patent Bulletin. Applicants must be represented by a recognized Polish-based Patent Attorney.

Applications are examined as to form, inventive step, patentability and novelty.

The application is laid open to public inspection 18 months from the filing date, or from the earliest priority date. If the invention is found to be patent-worthy after examination, it will be accepted for grant. The patent will be published in the Patent Bulletin. However, the applicant may request a delay to the publication of the specification for up to 15 months from the filing or priority date.

Opposition may be filed with three months of the date of final publication.

DWPI Coverage

Kind	DWPI Start Dates
A1 Patent application	3 January 2011
A3 Application for additional patent	3 January 2011
B1 Granted patent	3 January 2011
B3 Additional patent	3 January 2011
U1 Utility model application	3 January 2011
U3 Application for additional utility model	3 January 2011
Y1 Granted utility model	3 January 2011
Y3 Granted additional utility model	3 January 2011

DWPI Data elements	Notes
✓ Bibliographic data	
✓ English value-add title and abstract	
✓ Original title and abstract	Abstracts in Polish but not for A3
✓ Manual Codes	Chemical (CPI) and Electrical (EPI)
✓ Chemical Indexing	DCR, Chemical Fragmentation, Polymer and Markush

Numeration

Kind Codes – A, A3, B1, B3

Publication Numbers			
Original Data	Derwent Patent Search	Dialog	STN
PLnnnnnn	PLnnnnnn	PL nnnnnn	PLnnnnnn
PL388333	PL388333	PL 388333	PL388333

nnnnnn 6 digit serial number

Application Numbers			
Original Data	Derwent Patent Search	Dialog	STN
PLNNNNNN	PLNNNNNNA	PL YYYNNNNNN	PLYYYY-NNNNNN
PL388333	PL388333A	PL 2009388333	PL2009-388333

YYYY 4 digit year
 NNNNNN 6 digit serial number
 nnnnnnn 7 digit serial number

Kind Codes – U1, U3, Y1, Y3

Publication Numbers			
Original Data	Derwent Patent Search	Dialog	STN
PLnnnnnn	PLnnnnnn	PL nnnnnn	PLnnnnnnU
PL65650	PL65650	PL 65650	PL65650U
PL118338	PL118338	PL 118338	PL118338U

nnnnnn 6 digit serial number for U1 a& U3; 5 digit serial number for Y1 & Y3
 U Denotes utility model

Application Numbers			
Original Data	Derwent Patent Search	Dialog	STN
PLnnnnnn	PLnnnnnnU	PL YYYnnnnnn	PLYYYY-nnnnnnU
PL118338	PL118338U	PL 2009118338	PL2009-118338U

YYYY 4 digit year
 nnnnnn 6 digit serial number
 U Denotes utility model